**Uttarakhand Livestock Development Board** 



Pashudhan Bhawan, Ist Floor, Mothrowala Road,

P.O. Mothrowala, Dehradun-248001, Telefax : 0135-2532619

Email: ceouldb2019@gmail.com, Website: www.uldb.org

GSTIN: 05AABFU8674M1ZK

#### **E-PROCUREMENT NOTICE**

#### INVITATION FOR BID IN TWO BID SYSTEM (TECHNICAL BID AND FINANCIAL BID) FOR PROCUREMENT OF LABORATORY EQUIPMENTS, CONSUMABLES AND CHEMICALS FOR BOVINE GENOMIC LAB; BOVINE EMBRYO TRANSFER AND IN VITRO FERTILIZATION WORK AT EBRTC, ANIMAL BREEDING FARM, KALSI; FODDER HARVESTER AND TIPPING TROLLEY FOR ANIMAL BREEDING FARM, KALSI, AUTOMATIC WIDE MOUTH SEMEN STRAW STORAGE TYPE LIQUID NITROGEN CONTAINER; ROUND THE YEAR SUPPLY OF LIQUID NITROGEN AND SUPPLY, ERECTION AND COMMISSIONING OF 6000 LITER CAPACITY VERTICAL STORAGE TYPE LIQUID NITROGEN VESSEL

Bid Reference No.	:	1991/ULDB/PROC./Vol.XVI ETT-III/2020-21 Dated: 20 <sup>th</sup> October 2020		
Price of bidding document (non refundable)	:	Schedule No. One: ₹590.00       Schedule No. Eight: ₹1180.00         Schedule No. Two: ₹1180.00       Schedule No. Nine: ₹590.00         Schedule No. Three: ₹1180.00       Schedule No. Ten: ₹590.00         Schedule No. Four: ₹1180.00       Schedule No. Eleven: ₹1180.00         Schedule No. Five: ₹590.00       Schedule No. Twelve: ₹1180.00         Schedule No. Six: ₹1180.00       Schedule No. Twelve: ₹1180.00         Schedule No. Six: ₹1180.00       Schedule No. Thirteen: ₹1180.00         Schedule No. Seven: ₹590.00       Schedule No. Thirteen: ₹1180.00		
Date of Release of Invitation for Bids in https://uktenders.gov.in	:	22 <sup>nd</sup> October 2020		
Availability of Bid Document and Mode of Submission	:	The bid document is available online on <b>https://uktenders.gov.in</b> . The bidder would be required to register in the web site which is free of cost. The bidders are required to have Digital Signature Certificate (DSC) for online submission of bids. The DSC will be obtained from any one of the authorized certifying authorities. Details of subsequent addendum/corrigendum/ cancellation etc. may be obtained from <b>https://uktenders.gov.in</b> The bidder are required to submit (a) Original Demand Draft towards the cost of bid document (b) Original Bid Security and (c) Original Declaration regarding correctness of information furnished with bid documents & validity of bid till the prescribed validity period duly signed in ₹100.00 Non judicial Stamp Paper to the office of Uttarakhand Livestock Development Board, Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun- 248001, Uttarakhand, India on or before stipulated date and time. Failing which bid shall be declared as non-responsive.		
Last date and time for Receipt of Bids in https://uktenders.gov.in	:	11 <sup>th</sup> November 2020 up to 11.00 AM		
Time and date of Opening of Technical Bids	:	11 <sup>th</sup> November 2020 at 11.30 AM		
Time and date of Opening of Financial Bids of Technically qualified bidders	:	Will be intimated through https://uktenders.gov.in		
Place of Opening of Bids	:	Uttarakhand Livestock Development Board, Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun- 248001, Uttarakhand, India		
Address of Communication	:	Same as above		

The cost of bid document to be submitted in the form of Demand Draft or Bankers Cheque of any Nationalized/ Scheduled Bank. The Demand Draft or Bankers Cheque will be made in favor of "Uttarakhand Livestock Development Board" payable at "Dehradun, Uttarakhand".



#### SECTION 1: INVITATION FOR BID

1. The Uttarakhand Livestock Development Board is State Implementing Agency for implementation of Rashtriya Gokul Mission (RGM) in Uttarakhand State. Uttarakhand Livestock Development Board is inviting bids in two bidding system (Technical Bid and Financial Bid) through e-procurement portal https://uktenders.gov.in from the eligible bidders for Laboratory Equipments, Consumables and Chemicals for Bovine Genomic Lab; Bovine Embryo Transfer and In Vitro Fertilization work at EBRTC, Animal Breeding Farm, Kalsi; Fodder Harvester and Tipping Trolley for Animal Breeding Farm, Kalsi, Automatic Wide Mouth Semen Straw Storage Type Liquid Nitrogen Container, Round the Year Supply of Liquid Nitrogen and procurement of one 6000 Liter Capacity Vertical Storage Type Liquid Nitrogen Vessel.

2. The Chief Executive Officer, Uttarakhand Livestock Development Board is inviting from all eligible bidders for the supply of following goods:

Schedule No./ Part of Schedule	Brief Description of Item	Qty.
One Part A	Embryo cup Filter Warmer	01 No.
One Part B	Horizontal Electrophoresis System	01 No.
Two	Artificial Cow	01 No.
Three	Bench Top CO2 Incubator	02 No.
Four	Fodder Harvester cum Chaff Cutter	01 No.
Five	Tipping Trolley	01 No.
Six	Consumables for Genomic Lab	Variable
Seven	even Equipments for Genomic Lab	
Eight	Livestock Disease Detection Kit	Variable
Nine	Consumables and Chemicals for Livestock Cell Culture Lab	Variable
Ten	Equipment and Consumables for DNA Isolation and Karyotyping	Variable
Eleven	Automatic Wide Mouth Semen Straw Storage Type LN2 Container	1 No.
Twelve	Rate Contract for Round the Year supply of Liquid Nitrogen for Artificial Insemination Program	Approx. 7,00,000 Liter
Thirteen Supply, Erection and Commissioning of 6000 Liter Capacity Vertical Storage Type Liquid Nitrogen Vessel		01 No.

#### 3. TECHNICAL BID: should contain scanned copy of following documents:

- i. Proof of Cost of Bid Document (Original Cost of Bid Document for the amount as specified in bid document must reach to Uttarakhand Livestock Development Board, Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun- 248001, Uttarakhand, India on or before the date & time as stipulated in bid document). Bidders are required to submit Price of bidding document in accordance to the Schedules for which the bid is quoted, failing which bid submitted will be treated as Non-responsive.
- **ii.** Proof of Bid Security (Original Cost of Bid Security for the amount as specified in bid document must reach to Uttarakhand Livestock Development Board, Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun- 248001, Uttarakhand, India on or before the date & time as stipulated in bid document).
- iii. Proof of Declaration (Original Declaration regarding correctness of information furnished with bid documents & validity of bid till the prescribed validity period duly signed in ₹100.00 Non judicial Stamp Paper must reach to Uttarakhand Livestock Development Board, Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun- 248001, Uttarakhand, India on or before the date & time as stipulated in bid document).
- iv. Bidder's Profile along with proof of certification having details of registration; PAN No; GSTIN No. etc.
- v. Latest GST Return Filing Statement
- vi. Summary of Latest Audited Balance Sheet.
- vii. Documentary proof of BIS &/or ISO certification or any other relevant document.
- viii. Technical Details of the items conforming to the bid along with Catalogue, Brochures etc..
- **ix.** Experience of the bidder conforming to the qualification criteria as specified in Section VI A of bid document & any other relevant documents establishing bidders eligibility & qualification.

#### 4. FINANCIAL BID:

#### Financial Bid must be submitted online in https://uktenders.gov.in.

Financial Bid should contain: Bill of Quantity (BOQ) QUOTE IN: Bidders Name and Column No. 13, 16 and 17.

#### (BIDDERS ARE REQUIRED TO QUOTE UNIT RATE AT COLUMN NO. 13, 16 and 17)

#### BOQ WILL BE CONSIDERED ONLY IF SUBMITTED ONLINE AND IN THE FORMAT UPLOADED IN WEBSITE. BOQ SUBMITTED IN OTHER FORMATS/ HARD COPY WILL NOT BE CONSIDERED.

- 5. Technical Bids will be opened in the presence of Bidders representatives who choose to attend on the specified date and time.
- 6. The Financial Bids of only Technically Qualified Bidders will be opened in the stipulated date & time. The list of Technically Qualified Bidders and date of opening of financial bids of technically qualified bidders will be intimated on https://uktenders.gov.in.

7. In the event of the date specified for bid receipt and opening being declared as a closed holiday for purchaser's office, the due date for submission of bids and opening of bids will be the following working day at the appointed times.

## **Chief Executive Officer**

Uttarakhand Livestock Development Board

# SECTION II: INSTRUCTIONS TO BIDDERS (ITB)

# TABLE OF CLAUSES

<u>Clause</u> <u>No.</u>	<u>Topic Number</u>	<u>Page</u> <u>No.</u>	<u>Clause</u> <u>No.</u>	<u>Topic Number</u>	<u>Page</u> <u>No.</u>
А.	Introduction		D.		
1	Source of Funds	5	17	Deadline for submission of Bids	7
2	Eligible Bidders	5	18	Late Bids	7
3	Eligible Goods and Services	5	19	Modification and withdrawal of Bids	7
4	Cost of Bidding	5	Е.	Opening and Evaluation of Bids	
В.	<b>Bidding Documents</b>	5	20	Opening of bids by the purchaser	8
5	Contents of Bidding Documents	5	21	Clarification of Bids	8
6	Clarification of Bidding	5	22	Evaluation and Comparison of Bids	8
	Documents				
7	Amendment of Bidding	5	23	Domestic Preference	8
	Documents				
C.	Preparation of Bids		24	Contacting the Purchaser	8
8	Language of Bid	6	F.	Award of Contract	
9	Documents Comprising the Bid	6	25	Award Criteria	8
10	Declaration	6	26	Purchaser's Right to Vary Quantities at	8
				time of Awards	_
11	Bid Prices	6	27	Purchaser's Right to Accept any Bid and	8
12	Bid Currencies	6	28	to reject any or all bids Notification of Award	8
13	Bid Security	6	29	Signing of Contract	8
14	Period of Validity of Bids	7	30	Performance Security	9
15	Format and Signing of Bid	7	31	Corrupt and Fraudulent Practices	9
	Submission of Bids				
16	Sealing and Marking of Bids	7			
-	<u> </u>				

## INSTRUCTIONS TO BIDDERS (ITB) <u>A. INTRODUCTION</u>

#### 1. Source of Funds:

1.1 The Uttarakhand Livestock Development Board (ULDB) is State Implementing Agency for implementation of Rashtriya Gokul Mission (RGM) in Uttarakhand State. The Uttarakhand Livestock Development Board is inviting bids in two parts from the eligible bidders for Laboratory Equipments, Consumables and Chemicals for Bovine Genomic Lab; Bovine Embryo Transfer and In Vitro Fertilization work at EBRTC, Animal Breeding Farm, Kalsi; Fodder Harvester and Tipping Trolley for Animal Breeding Farm, Kalsi, Automatic Wide Mouth Semen Straw Storage Type Liquid Nitrogen Container; Round the Year Supply of Liquid Nitrogen and one 6000 Liter Capacity Vertical Storage Type Liquid Nitrogen Vessel. The total estimated cost of the bid is approximately ₹198.00 Lakh for which this Invitation for Bids is issued.

#### 2. Eligible Bidders:

- 2.1 The Invitation for Bids is open for all eligible bidders.
- 2.2 Bidders should not be associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Purchaser to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods to be purchased under this Invitation for Bids.
- 2.3 Government-owned enterprises in the Purchaser's country may participate only if they are legally and financially autonomous, if they operate under commercial law, and if they are not a dependent agency of the Purchaser.
- 2.4 Bidders shall not be under a declaration of ineligibility for corrupt and fraudulent practices in accordance with ITB Clause 31.

#### 3. Eligible Goods and Services:

- 3.1 All goods and related services be supplied under the Contract shall have their origin in eligible source countries.
- 3.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced or the place from which the related services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembling of components, a commercially recognized product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 3.3 The origin of goods and services may be distinct from the nationality of the Bidder.

#### 4. Cost of Bidding:

4.1 The Bidder shall bear all costs associated with the preparation and submission of its bid, and Chief Executive Officer, Uttarakhand Livestock Development Board, hereinafter referred to as "the Purchaser", will in no case be responsible or liable for these costs, regardless of the conduct or outcome of the bidding process. All the Demand Draft/ FDR/ Bank Guarantee/ Pay Order/ Bankers Cheque shall be in favor of/ pledged to "Uttarakhand Livestock Development Board" payable at "Dehradun, Uttarakhand, India"
B. THE BIDDING DOCUMENTS

#### 5. Content of Bidding Documents:

- 5.1 The goods required, bidding procedures and contract terms as prescribed in the biding documents. In addition to the Invitation of Bids, the bidding documents include:
  - (a) Instructions to Bidders (ITB);
  - (b) General Conditions of Contract (GCC);
  - (c) Special Conditions of Contract (SCC);
  - (d) Schedule of Requirements;
  - (e) Technical Specifications;
  - (f) Qualification Criteria
  - (g) Declaration;
  - (h) Bid Security Form;
  - (i) Contract Form;
  - (j) Performance Security Form;
  - (k) Performance Statement Form:
  - (1) Manufacturer's Authorization Form;
  - (m) Equipment and Quality Control;
  - (n) Checklist for Submission of Technical Bid
- 5.2 The Bidder is expected to examine all instructions, forms, terms and specifications in the bidding documents. Failure to furnish all information required by the bidding documents or submission of a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in rejection of its bid at the time of evaluation of technical bid.

#### 6. Clarification of Bidding Documents:

6.1 A prospective Bidder requiring any clarification of the bidding document may contact in person or may make telephonic contact to the office of Chief Executive Officer, Uttarakhand Livestock Development Board, Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun at any working day before the dead line of the submission of bid document.

#### 7. Amendment of Bidding Documents:

- 7.1 At any time prior to the deadline for submission of bids, the Purchaser may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective bidder, modify the bidding documents by amendment.
- 7.2 Details of subsequent addendum/corrigendum/ cancellation etc. may be obtained from https://uktenders.gov.in.
- 7.3 In order to allow prospective bidders reasonable time in which to take the amendment into account in preparing their bids, the Purchaser, at its discretion, may extend the deadline for the submission of bids.

### **C. PREPARATION OF BIDS**

## 8. Language of Bid:

8.1 The bid prepared by the Bidder, as well as all correspondence and documents relating to the bid exchanged by the Bidder and the Purchaser shall be written in English or Hindi language. Supporting documents and printed literature furnished by the Bidder may be in another language provided they are accompanied by an accurate translation of the relevant passages in English or Hindi in which case, for purposes of interpretation of the Bid, the translation shall govern.

#### 9. Documents Comprising / Constituting the Bid:

- 9.1 The bid prepared by the Bidder shall comprise the following components:
  - A] TECHNICAL BID: shall comprise scanned copy of all documents, cost of bid document & bid security as specified in bid document.
  - **B] FINANCIAL BID:** shall comprise the following components:
  - (a) Bill of Quantity (BOQ) completed in accordance with ITB Clauses 11 and 12

#### 10. Declaration:

10.1 Declaration regarding correctness of information furnished with bid documents & validity of bid till the prescribed validity period duly signed in ₹100.00 Non judicial Stamp Paper.

#### 11. Bid Prices:

- 11.1 The Bidder shall indicate on the Price Schedule the unit prices of the goods it proposes to supply under the Contract.
- 11.2 Prices indicated on the Bill of Quantity (BOQ) shall be entered on FOR basis.

#### 11.3 Fixed Price:

Prices quoted by the Bidder shall be fixed during the Bidder's performance of Contract and not subject to variation on any account. A bid submitted with an adjustable price quotation will be treated as non-responsive and rejected.

#### 12. Bid Currencies:

- 12.1 Prices shall be quoted in Indian Rupees only.
- 12.2 Rates quoted shall be in figures only.

#### 13. Bid security:

13.1 Pursuant to ITB Clause 9, Bidder shall furnish, as part of its technical bid, a bid security in the amount as mentioned below:

Schedule No./ Part of	Brief Description of Item	*Bid Security (INR)
Schedule		
One Part A	Embryo cup Filter Warmer	15000.00
One Part B	Horizontal Electrophoresis System	15000.00
Two	Artificial Cow	65000.00
Three	Bench Top CO2 Incubator	40000.00
Four	Fodder Harvester cum Chaff Cutter	30000.00
Five	Tipping Trolley	8000.00
Six	Consumables for Genomic Lab	30000.00
Seven	Equipments for Genomic Lab	12000.00
Eight	Livestock Disease Detection Kit	40000.00
Nine	Consumables and Chemicals for Livestock Cell Culture Lab	5000.00
Ten	Equipment and Consumables for DNA Isolation and Karyotyping	20000.00
Eleven	Automatic Wide Mouth Semen Straw Storage Type Liquid Nitrogen Container	60000.00
Twelve	Rate Contract for Round the Year supply of Liquid Nitrogen for Artificial Insemination Program	75000.00
Thirteen	Supply, Erection and Commissioning of 6000 Liter Capacity Vertical Storage Type Liquid Nitrogen Vessel	60000.00

# \* Bidders are required to furnish the Bid Security in accordance to the above details failing which bid submitted will be treated as Non-responsive.

- 13.2 The bid security is required to protect the Purchaser against the risk of Bidder's conduct, which would warrant the security's forfeiture, pursuant to ITB Clause 13.7.
- 13.3 The bid security shall be denominated in Indian Rupees and shall:
  - (a) at the bidder's option, be in the form of either a demand draft or a bank guarantee or FDR or Bankers Cheque from a nationalized/Scheduled bank located in India;
  - (b) be substantially in accordance with one of the form of bid security included in Section VIII or other form approved by the Purchaser prior to bid submission;
  - (c) be payable promptly upon written demand by the purchaser in case any of the conditions listed in ITB Clause 13.8 are invoked;
  - (d) be submitted in its original form; copies will not be accepted; and
  - (e) remain valid for a period of 90 days beyond the original validity period of bids, or beyond any period of extension subsequently requested under ITB Clause 14;
- 13.4 Any bid not secured in accordance with ITB Clauses 13.3 will be rejected by the Purchaser.
- 13.5 Unsuccessful bidder's bid securities will be discharged or returned as promptly as possible but not later than 60 days after the expiration of the period of bid validity prescribed by the Purchaser, pursuant to ITB Clause 14.
- 13.6 The successful Bidder's bid security will be discharged upon the Bidder signing the contract, pursuant to ITB Clause 29, and furnishing the performance security, pursuant to ITB Clause 30.

- 13.7 Where the Bidder has quoted for more than one Schedule, if the bid security furnished is inadequate for all the Schedules for which bid is submitted, the Purchaser shall take the price bid into account only to the extent the bid is secured. For this purpose, the extent to which the bid is secured shall be determined by evaluating the requirement of bid security to be furnished for the Schedules included in the bid (offer) in the serial order of the Schedule of Requirements of the Bidding document.
- 13.8 The bid security may be forfeited:
  - (a) if a Bidder (i) withdraws its bids during the period of bid validity specified in the bid documents; or
  - (b) in case of a successful Bidder, if the Bidder fails:
    - (i) to sign the Contract in accordance with ITB Clause 29: or
    - (ii) to furnish performance security in accordance with ITB Clause 30.

#### 14. Period of Validity of Bids:

- 14.1 Bids shall remain valid for 90 days after the deadline for submission of bids prescribed by the Purchaser. A bid valid for a shorter period shall be rejected by the Purchaser considering it as non-responsive.
- 14.2 In exceptional circumstances, the Purchaser may solicit the Bidder's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing (or by cable). The bid security shall also be suitably extended. A Bidder may refuse the request without forfeiting its bid security. A Bidder granting the request will not be required nor permitted to modify its bid, except as provided in ITB Clause 14.3 hereinafter.
- 14.3 In case of fixed prices contract, in the event that the Purchaser requests and the Bidder agrees to an extension of the validity period, the contract price, if the Bidder is selected for award shall be the bid price corrected as follows: The price shall be increased by the factor [Country's Projected Inflation for the period in question] for each week that has elapsed from the expiration of the initial bid validity to the date of notification of award to the successful bidder.
- 14.4 Bid evaluation will be based on the bid prices including all taxes, levies & all other incidentals without taking into consideration the above corrections.

#### 15. Format for submitting Bid:

- 15.1 The Bidder shall submit scanned copy of all documents establishing Bidders qualifications for considering the bidder eligibility for performing the contract. Please note that prices should not be indicated in the technical bid. Bids submitted without following the two bid system procedure will be summarily rejected.
- 15.2 Financial bids should be submitted in the Bill of Quantity (BOQ). The lowest offered price of Technically Qualified bid will be selected for award of contract.

#### **D. SUBMISSION OF BIDS**

#### 16. Submission of Bids:

- 16.2 All envelopes shall be addressed to the Purchaser at the following address:

Chief Executive Officer, Uttarakhand Livestock Development Board,

Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun-248001, Uttarakhand, India

- 16.3 All envelopes shall also indicate the name and address of the Bidder.
- 16.4 If the outer envelope is not sealed and marked as required as per ITB Clause 16.1; 16.2 & 16.3, the Purchaser will assume no responsibility for the misplacement.
- 16.5 Bids without Cost of Bid Document, Bid Security and Declaration will be rejected.
- 16.6 Technical Bid and Financial Bid (BOQ) must be submitted online on https://uktenders.gov.in and Technical Bid shall comprise scanned copies of all the documents as stipulated in invitation for bid document. Those bidders who could not submit all required technical documents Online and have submitted Technical Document in Physical Form on or before the date & time as stipulated in bid document will also be considered for Technical Evaluation.

#### 17. Deadline for Submission of Bids:

- 17.1 The Cost of bid document, Bid Security and Declaration must be received by the Purchaser at the address specified under ITB Clause 16.2 no later than the time and date specified in the bid document. In the event of the specified date for the submission being declared a holiday for the Purchaser, the same will be received up to the appointed time on the next working day.
- 17.2 The Purchaser may, at its discretion, extend this deadline for the submission of bids by amending the bid documents in accordance with ITB Clause 7, in which case all rights and obligations of the Purchaser and Bidders previously subject to the deadline will thereafter be subject to the deadline as extended.

#### 18. Late Bids:

18.1 Any bid received by the Purchaser after the deadline for submission of bids prescribed by the Purchaser, pursuant to ITB Clause 17, will be rejected and returned unopened to the Bidder.

#### **19.** Modification and Withdrawal of Bids:

19.1 NA.

8

## 19.2 NA

19.3 Bid shall not be withdrawn in the interval between the deadline for submission of bids and the expiration of the period of bid validity specified by the Bidder on the Declaration. Withdrawal of a bid during, this interval may result in the Bidder's forfeiture of its bid security, pursuant to the ITB Clause 13.

## **E. BID OPENING AND EVALUATION OF BIDS**

#### 20. Opening of Bids by the Purchaser:

20.1 The Purchaser will open Technical Bids of only those bidders whose Cost of Bid Document, Bid security and Declaration will reach to Uttarakhand Livestock Development Board by or before the date and time as specified in bid document, in the presence of Bidder's representatives who choose to attend, at specified date & time on the following location:

Office of the Chief Executive Officer, Uttarakhand Livestock Development Board, Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun-248001, Uttarakhand, India

The Bidders representative who are present shall sign a register evidencing their attendance. In event of the specified date of Bid opening being declared a holiday for the Purchaser, the Bids shall be opened at the appointed time and location on the next working day.

Financial bids of Technically Qualified Bidders will only be opened. The decision of the committee on technical suitability shall be final and shall not be open for discussion.

- 20.2 The bidders names, bid modifications or withdrawals and the presence or absence of requisite bid security and such other details as the Purchaser, at its discretion, may consider appropriate, will be announced at the opening.
- 20.3 The Purchaser will prepare minutes of the bid opening.

## 21. Clarification of Bids

21.1 During evaluation of bids, the Purchaser may, at its discretion, ask the Bidder for a clarification of its bid. The request for clarification and the response shall be in writing and no change in prices or substance of the bid shall be sought, offered and permitted.

#### 22. Evaluation and Comparison of Bids:

22.1 **Technical Bid Evaluation:** Technical Bid shall be evaluated by the Committee on the basis of documents submitted in Technical Bids and other requirements establishing bidders eligibility & qualification. The list of Technically Qualified Bidders and date of opening of financial bids of technically qualified bidders will be intimated on https://uktenders.gov.in. The decision of the committee on technical suitability of bids shall be final and shall not be open for discussion.

#### 22.2 Evaluation of Financial bids: Financial Bid shall be evaluated on Each Part of Schedule basis.

- All the taxes and other levies indicated in the Financial Bid will be taken for the Financial Bid evaluation.
- Bid should be evaluated separately on Part of Schedule basis.
- In case of Discrepancy in quoted GST the bid should be evaluated on Unit Rate basis including all incidentals but excluding GST.
- The Bidder quoting the lowest price (L1) including all incidentals, taxes etc. will be selected for the award of contract
  However, ULDB does not bind itself in any way to select the bidder(s) offering the lowest price.
- 23. Domestic Preference: The domestic preference should be given to the Bidders in accordance to the Uttarakhand Procurement Rules only upon submission of relevant documentary proofs.

#### 24. Contacting the Purchaser:

- 24.1 Subject to ITB Clause 21, no Bidder shall contact the Purchaser on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded. If the bidder wishes to bring additional information to the notice of the purchaser, it should do so in writing.
- 24.2 Any effort by a Bidder to influence the Purchaser in its decisions on bid evaluation, bid comparison or contract award may result in rejection of the bid.

#### F. AWARD OF CONTRACT

#### 25. Award Criteria:

25.1 Subject to ITB Clause 27, the Purchaser will award the Contract to the successful Bidder whose bid has been determined to be substantially responsive and has been determined to be the lowest evaluated bid, provided further that the Bidder is determined to be qualified to perform the Contract satisfactorily.

#### 26. Purchaser's right to vary Quantities at Time of Award:

26.1 The Purchaser reserves the right to increase or decrease by up to 25 percentage of the quantity of goods and services originally specified in the Schedule of Requirements without any change in unit price or other terms and conditions.

#### 27. Purchaser's Right to accept any bid and to reject any or all bids:

27.1 The Purchaser reserves the right to accept or reject any bid, and to annul the bidding process and reject all bids at any time prior to award of contract, without thereby incurring any liability to the affected Bidder or bidders.

#### 28. Notification of Award:

- 28.1 Prior to the expiration of the period of bid validity, the Purchaser will notify the successful bidder.
- 28.2 The notification of award will constitute the formation of the Contract.
- 28.3 Upon the successful Bidder's furnishing of performance security pursuant to ITB Clause 30, the Purchaser will discharge its bid security, pursuant to ITB Clause 13.
- 28.4 If, after notification of award, a Bidder wishes to ascertain the grounds on which its bid was not selected, it should address it's request to the Purchaser. The Purchaser will promptly respond in writing to the unsuccessful Bidder.

#### 29. Signing of Contract:

- 29.1 At the same time as Purchaser notifies the successful bidder that its bid has been accepted, the Purchaser will send the bidder the Contract Form, incorporating the agreement to be signed between parties.
- 29.2 Within thirty (30) days of receipt of the Contract Form, the successful bidder shall sign and date the Contract on ₹100.00 Non Judicial Stamp Paper and return it to the Purchaser.

#### **30 Performance Security:**

- 30.1 Within thirty (30) days of the receipt of notification of award from the Purchaser, the successful Bidder shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the bidding documents or in another form acceptable to the Purchaser.
- 30.2 Failure of the successful bidder to comply with requirement of ITB Clause 29.2 or ITB Clause 30.1 shall constitute sufficient grounds for the annulment of the award and forfeiture of the bid security, in which event the Purchaser may make the award to the next lowest evaluated bidder or call for new bids.

#### 31 Corrupt or Fraudulent Practices

- 31.1 The board requires that Bidders/ Suppliers/ Contractors, observe the highest standard of ethics during the procurement and execution of such contracts. In pursuance of this policy, the Board:
  - (a) defines, for the purposes of this provision, the terms set forth below as follows:
    - (i) "corrupt practice" means the offering, giving, receiving or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution; and
    - (ii) "fraudulent practices" means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Borrower, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Borrower of the benefits of free and open competition
  - (b) will reject a proposal for award if it determines that the Bidder recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question;
  - (c) will declare a firm ineligible, either indefinitely or for a stated period of time,

## SECTION III : GENERAL CONDITIONS OF CONTRACT (GCC) TABLE OF CLAUSES

<u>Clause Number</u>	<u>Topic</u>	Page Number
1	Definitions	11
2	Application	11
3	Country of Origin	11
4	Standards	11
5	Use of Contract Documents and Information	11
6	Patent Rights	11
7	Performance Security	11
8	Inspection and Tests	11
9	Packing	12
10	Delivery and Documents	12
11	Insurance	12
12	Transportation	12
13	Incidental Services	12
14	Spare Parts	12
15	Warranty	12
16	Payment	12
17	Prices	12
18	Change Orders	12
19	Contact Amendments	12
20	Assignment	12
21	Subcontracts	13
22	Delays in Supplier's Performance	13
23	Liquidated Damages	13
24	Termination for Default	13
25	Force Majeure	13
26	Termination for Insolvency	13
27	Termination for Convenience	13
28	Settlement/ Resolution of Disputes	14
29	Limitation of liability	14
30	Governing Language	14
31	Applicable Law	14
32	Notices	14
33	Taxes and Duties	14

## **GENERAL CONDITIONS OF CONTRACT (GCC)**

#### 1. Definitions:

- 1.1 In this Contract, the following terms shall be interpreted as indicated:
  - (a) "The Contract" means the agreement entered into between the Purchaser and the Supplier, as recorded in the Contract Form signed by the parties, including all the attachments and appendices thereto and all documents incorporated by reference therein;
  - (b) "The Contract Price" means the price payable to the Supplier under the Contract for the full and proper performance of its contractual obligations;
  - © "The Goods" means all the equipment, machinery, and/or other materials which the Supplier is required to supply to the Purchaser under the Contract;
  - (d) "The Services" means services ancillary to the supply of the Goods, such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training and other obligations of the Supplier in case of equipment, machinery covered under the Contract;
  - (e) "GCC" means the General Conditions of Contract contained in this section.
  - (f) "SCC" means the Special Conditions of Contract.
  - (g) "The Purchaser" means the organization purchasing the Goods, as named in SCC.
  - (h) "The Supplier" means the individual or firm supplying the Goods and Services under this Contract
  - (i) "Board" means Uttarakhand Livestock Development Board, Dehradun.
  - (j) "The Project Site", where applicable, means the place or places mentioned in bid document.
  - (k) "Day" means calendar days.
  - (1) "NA" means Not applicable

#### 2. Application:

2.1 These General Conditions shall apply to the extent that they are not superseded by provisions in other parts of the Contract.

#### 3. Country of Origin:

- 3.1 All Goods and Services supplied under the Contract shall have their origin in the member countries and territories eligible under the rules of GoI.
- 3.2 For purposes of this Clause "origin" means the place where the Goods are mined, grown and produced, or from which the Services are supplied. Goods are produced when, through manufacturing, processing or substantial and major assembling of components, a commercially recognized new product results that is substantially different in basic characteristics or in purpose or utility from its components.
- 3.3 The origin of Goods and Services may be distinct from the nationality of the Supplier.

#### 4. Standards:

4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specification, and, when no applicable standard is mentioned, to the authoritative standard appropriate to the Goods country of origin and such standards shall be the latest issued by the concerned institution.

#### 5. Use of Contract Documents and Information; Inspection and Audit by the Board:

- 5.1 The Supplier shall not, without the Purchaser's prior written consent, disclose the Contract, or any provision thereof, or any specification, plan, drawing, pattern, sample or information furnished by or on behalf of the Purchaser in connection therewith, to any person other than a person employed by the Supplier in performance of the Contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far as may be necessary for purposes of such performance.
- 5.2 The Supplier shall not, without the Purchaser's prior written consent, make use of any document or information enumerated in GCC Clause 5.1 except for purposes of performing the Contract.
- 5.3 Any document, other than the Contract itself, enumerated in GCC Clause 5.1 shall remain the property of the Purchaser and shall be returned (in all copies) to the Purchaser on completion of the Supplier's performance under the Contract if so required by the Purchaser.
- 5.4 The supplier shall permit the Board to inspect the Supplier's accounts and records relating to the performance of the Supplier and to have them audited by auditors appointed by the Board, if so required by the Board.

#### 6. Patent Rights:

6.1 The Supplier shall indemnify the Purchaser against all third-party claims of infringement of patent, trademark or industrial design rights arising from use of the Goods or any part thereof in the Purchaser's country.

#### 7. Performance Security:

- 7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful Bidder shall furnish to the Purchaser the performance security in the amount specified in SCC.
- 7.2 The proceeds of the performance security shall be payable to the Purchaser as compensation for any loss resulting from the Supplier's failure to complete its obligations under the Contract.
- 7.3 The Performance Security shall be denominated in Indian Rupees and shall be in one of the following forms:
  - (a) A bank guarantee or FDR issued by a nationalized/scheduled bank located in India or a bank located abroad acceptable to the Purchaser, in the form provided in the bidding documents or another form acceptable to the Purchaser; or
  - (b) A demand draft.
- 7.4 The performance security will be discharged by the Purchaser and returned to the Supplier on written request of the supplier after completion of the Supplier's performance obligations, under the Contract, including any warranty obligations.
- 8. Inspection and Tests: NA

## 9. Packing:

- 9.1 The Supplier shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination as indicated in the Contract. The packing shall be sufficient to withstand, without limitation, tough handling during transit and exposure to extreme temperatures, salt and precipitation during transit and open storage. Packing case size and weights shall take into consideration, where appropriate, the remoteness of the Goods final destination and the absence of heavy handling facilities at all points in transit.
- 9.2 The packing, marking and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract including additional requirements, if any, specified in SCC and in any subsequent instructions ordered by the Purchaser.

#### 10. Delivery and Documents:

10.1 Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in the schedule of Requirements. The details of shipping and/or other documents to be furnished by the supplier are specified in SCC.

#### 11. Insurance:

11.1 The Goods supplied under the Contract shall be fully insured in Indian Rupees against loss or damage incidental to manufacture or acquisition, transportation, storage and delivery in the manner specified in SCC.

#### 12. Transportation:

12.1 Where the Supplier is required under the Contract to transport the Goods to a specified place of destination within India defined as Project site, transport to such place of destination in India including insurance and storage, as shall be specified in the Contract, shall be arranged by the Supplier and the related cost shall be included in the Contract Price.

#### 13. Incidental Services:

NA

#### 14. Spare Parts

NA

### 15. Warranty:

- 15.1 The Supplier warrants that the Goods supplied under this Contract are as per the prevailing Guidelines of Government of India.
- 15.2 This warranty shall remain valid for 24 months after the Goods or any portion thereof as the case may be, have been delivered & accepted at the final destination indicated in the Contract.
- 15.3 The Purchaser shall promptly notify the Supplier in writing of any claims arising under this warranty.
- 15.4 Upon receipt of such notice, the Supplier shall, within the period specified in SCC and with all reasonable speed, replace the Goods, without cost to the Purchaser other than, where applicable & agreed by the Purchaser. The cost of inland delivery of the replaced Goods from ex-works or ex-factory or ex-showroom to the final destination shall be borne by the Supplier.

#### 16. Payment:

- 16.1 The method and conditions of payment to be made to the Supplier under this Contract shall be specified in the SCC.
- 16.2 The Supplier's request(s) for payment shall be made to the Purchaser in writing, accompanied by an invoice describing, as appropriate, the Goods delivered and the Services performed, and by documents, submitted pursuant to GCC Clause 10, and upon fulfillment of other obligations stipulated in the contract.
- 16.3 Payments shall be made with in sixty (60) days after submission of the invoice or claim by the Supplier & verification by the user regarding satisfactory supply.
- 16.4 Payment will be made in Indian Rupees.

#### 17. Prices:

17.1 Prices charged by the Supplier for Goods delivered and Services performed under the Contract shall not vary from the prices quoted by the Supplier in its bid, with the exception of any price adjustments authorized in SCC or in the Purchaser's request for bid validity extension, as the case may be.

#### 18. Change Orders:

- 18.1 The Purchaser may at any time, by written notice given to the Supplier, make changes within the general scope of the Contract in any one or more of the following;
  - (a) drawings, designs, or specifications, where Goods to be furnished under the Contract are to be specifically manufactured for the Purchaser;
  - (b) the method of shipping or packing;
  - © the place of delivery; and/or
  - (d) the Services to be provided by the Supplier;
- 18.2 If any such change causes an increase or decrease in the cost of, or the time required for, the Supplier's performance of any provisions under the Contract, an equitable adjustment shall be made in the Contract Price or delivery schedule, or both, and the Contract shall accordingly be amended. Any claims by the Supplier for adjustment under this clause must be asserted within thirty (30) days from the date of Supplier's receipt of the Purchaser's change order.

#### **19.** Contract Amendments:

19.1 Subject to GCC Clause 18, no variations in or modifications of the terms of the Contract shall be made except by written amendment signed by the parties.

# 20. Assignment:

20.1 The Supplier shall not assign, in whole or in part, its obligations to perform under the Contract, except with the Purchaser's prior written consent.

#### 21. Subcontracts:

- 21.1 The Supplier shall notify the Purchaser in writing of all subcontracts awarded under this Contract if not already specified in the bid. Such notification, in his original bid or later, shall not relieve the Supplier from any liability or obligation under the Contract.
- 21.2 Subcontracts must comply with the provisions of GCC Clause 3.

#### 22. Delays in the Supplier's Performance:

- 22.1 Delivery of the Goods and performance of the Services shall be made by the Supplier in accordance with the time schedule specified in the Schedule of Requirements
- 22.2 If at any time during performance of the Contract, the Supplier or its sub-contractor(s) should encounter conditions impending timely delivery of the Goods and performance of Services, the Supplier shall promptly notify the Purchaser in writing of the fact of the delay, its likely duration and its cause(s). As soon as practicable after receipt of the Supplier's notice, the Purchaser shall evaluate the situation and may, at its discretion, extend the Supplier's time for performance with or without liquidated damages, in which case the extension shall be ratified by the parties by written notices & contract amendment.
- 22.3 Except as provided under GCC Clause 25, a delay by the Supplier in the performance of its delivery obligations shall render the Supplier liable to the imposition of liquidated damages pursuant to GCC Clause 23, unless an extension of time is agreed upon pursuant to GCC Clause 22.2 without the application of liquidated damages.

#### 23. Liquidated Damages:

23.1 Subject to GCC Clause 25, if the Supplier fails to deliver any or all of the Goods or to perform the Services within the period(s) specified in the Contract, the Purchaser shall, without prejudice to its other remedies under the Contract, deduct from the Contract Price, as liquidated damages, a sum equivalent to the percentage specified in SCC of the delivered price of the delayed Goods or unperformed Services for each week or part thereof of delay until actual delivery or performance, up to a maximum deduction of the Percentage specified in SCC. Once the maximum is reached, the Purchaser may consider termination of the Contract pursuant to GCC Clause 24.

#### 24. Termination for Default:

- 24.1 The Purchaser, without prejudice to any other remedy for breach of contract, by written notice of default sent to the supplier, terminate the Contract in whole or part.
  - (a) if the supplier fails to deliver any or all of the Goods within the period (s) specified in the Contract, or within any extension thereof granted by the Purchaser pursuant to GCC Clause 22; or
  - (b) if the supplier fails to perform any other obligation(s) under the Contract.
  - © if the supplier, in the judgment of the Purchaser has engaged in corrupt or fraudulent practices in competing for or in executing the Contract.

For the purpose of this Clause:

"corrupt practice" means the offering, giving, receiving or soliciting of any thing of value to influence the action of a public official in the procurement process or in contract execution.

**"fraudulent practice"** means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Board, and includes collusive practice among Bidders (prior to or after bid submission) designed to establish bid prices at artificial non-competitive levels and to deprive the Board of the benefits of free and open competition.

24.2 In the event the Purchaser terminates the Contract in whole or in part, pursuant to GCC Clause 24.1, the Purchaser may procure, upon such terms and in such manner as it deems appropriate, Goods or Services similar to those undelivered, and the Supplier shall be liable to the Purchaser for any excess costs for such similar Goods or Services. However, the Supplier shall continue the performance of the Contract to the extent not terminated.

#### 25. Force Majeure:

- 25.1 Notwithstanding the provisions of GCC Clauses 22, 23, 24, the Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- 25.2 For purposes of this Clause, "Force Majeure" means an event beyond the control of the Supplier and not involving the Supplier's fault or negligence and not foreseeable. Such events may include, but are not limited to, acts of the Purchaser either in its sovereign or contractual capacity, wars or revolution, fires, floods, epidemics, quarantine restrictions and freight embargoes.
- 25.3 If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

#### 26. Termination for Insolvency:

26.1 The purchaser may at any time terminate the Contract by giving written notice to the Supplier, if the Supplier becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Supplier, provided that such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Purchaser.

#### 27. Termination for Convenience:

27.1 The Purchaser, by written notice sent to the Supplier, may terminate the Contract, in whole or in part, at any time for its convenience. The notice of termination shall specify that termination is for the Purchaser's convenience, the extent to which performance of the Supplier under the Contract is terminated, and the date upon which such termination becomes effective.

- 27.2 The Goods that are complete and ready for shipment within 30 days after the Supplier's receipt of notice of termination shall be accepted by the Purchaser at the Contract terms and prices. For the remaining Goods, the Purchaser may elect:
  - (a) to have any portion completed and delivered at the Contract terms and prices; and/or
  - (b) to cancel the remainder and pay to the Supplier an agreed amount for partially completed Goods and for materials and parts previously procured by the Supplier.

#### 28. Settlement/ Resolution of Disputes:

- 28.1 The Purchaser and the supplier shall make every effort to resolve amicably by direct informal negotiation any disagreement or dispute arising between them under or in connection with the contract.
- 28.2 If, after thirty (30) days, the parties have failed to resolve their dispute or difference by such mutual consultation, then either the Purchaser or the Supplier may give notice to the other party of its intention to commence arbitration, as per Indian Laws, as to the matter of dispute, and no arbitration in respect of this matter may be commenced unless such notice is given.
  - 28.2.1 Any dispute or difference in respect of which a notice of intention to commence arbitration has been given in accordance with the Clause shall be finally settled by arbitration. Arbitration may be commenced prior to or after delivery of the Goods under the Contract.
  - 28.2.2 Arbitration proceedings shall be conducted in accordance with the Indian Laws
  - 28.2.3 Only local court (Dehradun) shall have jurisdiction of dispute
  - Notwithstanding any reference to arbitration herein;
    - (a) the parties shall continue to perform their respective obligations under the Contract unless they otherwise agree; and
    - (b) the Purchaser shall pay the Supplier any money due the Supplier.

#### 29. Limitation of Liability:

28.3

- 29.1 Except in cases of criminal negligence or willful misconduct, and in the case of infringement
  - (a) the Supplier shall not be liable to the Purchaser, whether in contract, tort, or otherwise, for any indirect or consequential loss or damage, loss of use, loss of production, or loss of profits or interest costs, provided that this exclusion shall not apply to any obligation of the Supplier to pay liquidated damages to the Purchaser; and
  - (b) the aggregate liability of the Supplier to the Purchaser, whether under the Contract, in tort or otherwise, shall not exceed the total Contract Price, provided that this limitation shall not apply to the cost of repairing or replacing defective equipment.

#### 30. Governing Language:

30.1 The contract shall be written in English language. Subject to GCC Clause 30, English / Hindi language version of the Contract shall govern its interpretation. All correspondence and other documents pertaining to the Contract which are exchanged by the parties shall be written in the same language.

#### 31. Applicable Law:

31.1 The Contract shall be interpreted in accordance with the laws of the Union of India.

#### 32. Notices:

- 32.1 Any notice given by the one party to the other pursuant to this Contract shall be sent to other party in writing or by cable, telex or facsimile and confirmed in writing to the other Party's address specified in SCC.
- 32.2 A notice shall be effective when delivered or on the notice's effective date, whichever is later.

#### 33. Taxes and Duties:

33.1 The Suppliers shall be entirely responsible for all taxes, duties, octroi & other requirements etc., incurred until delivery of the contracted Goods to the Purchaser.

# SECTION IV : SPECIAL CONDITIONS OF CONTRACT (SCC)

# TABLE OF CLAUSES

<u>Item No.</u>	<u>Topic</u>	Page Number
1	Definitions (GCC Clause 1)	16
2	Country of Origin (GCC Clause 3)	16
3	Performance Security (GCC Clause 7)	16
4	Inspection & Tests (GCC Clause 8)	16
5	Packing (GCC Clause 9)	16
6	Delivery and Documents (GCC Clause 10)	16
7	Insurance (GCC Clause 11)	17
8	Incidental Services (GCC Clause 13)	17
9	Spare Parts (GCC Clause 14)	17
10	Warranty (GCC Clause 15)	17
11	Payment (GCC Clause 16)	17
12	Prices (GCC Clause 17)	17
13	Sub-contracts (GCC Clause 21)	17
14	Liquidated Damages (GCC Clause 23)	17
15	Notices (GCC Clause 32)	17
16	Progress of supply	17

#### SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the General Conditions is indicated in parentheses.

#### 1. **Definitions (GCC Clause 1):**

- (a) The Purchaser is Chief Executive Officer, ULDB, Dehradun
- (b) The Supplier is .....
- 2. Country of Origin (GCC Clause 3):
- All countries and territories eligible & approved by Government of India.

#### **3. Performance Security (GCC Clause 7):**

3.1 Within 30 days after the Supplier's receipt for Notification of Award, the Supplier shall furnish Performance Security to the Purchaser for an amount as detailed below, valid up to 60 days after the date of completion of performance obligations including warranty obligations:

Schedule No./ Part of Schedule	Brief Description of Item	Performance Security
One Part A	Embryo cup Filter Warmer	8% of Net Quoted Price
One Part B	Horizontal Electrophoresis System	
Two	Artificial Cow	5% of Net Quoted Price
Three	Bench Top CO2 Incubator	6% of Net Quoted Price
Four	Fodder Harvester cum Chaff Cutter	6% of Net Quoted Price
Five	Tipping Trolley	8% of Net Quoted Price
Six	Consumables for Genomic Lab	6% of Net Quoted Price
Seven	Equipments for Genomic Lab	8% of Net Quoted Price
Eight	Livestock Disease Detection Kit	6% of Net Quoted Price
Nine	Consumables and Chemicals for Livestock Cell Culture Lab	8% of Net Quoted Price
Ten	Equipment and Consumables for DNA Isolation and Karyotyping	6% of Net Quoted Price
Eleven	Automatic Wide Mouth Semen Straw Storage Type Liquid Nitrogen Container	6% of Net Quoted Price
Twelve	Rate Contract for Round the Year supply of Liquid Nitrogen for Artificial Insemination Program	₹150000.00
Thirteen	Supply, Erection and Commissioning of 6000 Liter Capacity Vertical Storage Type Liquid Nitrogen Vessel	6% of Net Quoted Price

In the event of any corrected of defects or replacement of defective material during the warranty period, the warranty for the corrected/replaced material shall be extended to a further period of 24 month

- 3.2 Substitute Clause 7.3(b) of the GCC by the following:
- A crossed demand draft or pay order drawn in favour of ULDB, payable at Dehradun.
- 3.3 Substitute Clause 7.4 of the GCC by the following:

The Performance Security will be discharged by the Purchaser and returned to the Supplier on written notice of the Supplier 60 days following the date of completion of the Supplier's performance obligations, including the warranty obligation, under the contract.

3.4 Add as Clause 7.5 to the GCC the following: In the event of any contract amendment, the Supplier shall, within 21 days of receipt of such amendment, furnish the amendment to the Performance Security, rendering the same valid for the duration of the Contract, as amended for 60 days after the completion of performance obligations including warranty obligations.

#### 4. Inspection and Tests (GCC Clause 8):

NA

# 5. Packing (GCC Clause 9):

Add as Clause 9.3 of the GCC the following:

<u>Packing Instructions</u>: The Supplier will be required to make separate packages for each Consignee. Each package will be marked on three sides with proper paint/indelible ink, the following:

i) Project ii) Contract No. iii) Country of Origin of Goods iv) Supplier's Name, and v) Packing list reference number.

#### 6. **Delivery and Documents (GCC Clause 10):**

(a) For Goods supplied from abroad:

Upon delivery of the Goods, the supplier shall notify the purchaser and the insurance company by cable/telex/fax the full details of the shipment including contract number, railway/ airway receipt number and date, description of goods, quantity, name of the consignee etc. The supplier shall mail the following documents to the purchaser with a copy to the insurance company:

- (i) Duplicate Copies of the Supplier invoice showing contract/ order number, goods' description, quantity, unit price, total amount;
- (ii) Railway/ Airway receipt/acknowledgment of receipt of goods from the consignee(s);
- (iii) Duplicate Copies of packing list identifying the contents of each package;
- (iv) Insurance Certificate;

- Manufacturer's/Supplier's warranty certificate; Certificate narrating that Semen and embryos supplied are as per (v) the Guideline laid down by Government of India and the embryos are meeting the IETS Manual (4<sup>th</sup> Edition) standard
- (vi) Certificate of Origin;

The above document shall be received by the Purchaser before arrival of the Goods (except where the Goods have been delivered directly to the Consignee with all documents) and, if not received, the Supplier will be responsible for any consequent expenses.

#### 7. **Insurance (GCC Clause 11):**

The insurance shall be in an amount equal to 110 percent of the CIF or CIP value of the Goods from "Warehouse to warehouse (final destination)" on "All Risks" basic including War Risks and Strikes.

- 8. **Incidental Services (GCC Clause 13):**
- No additional services other then covered under Clause 13 of GCC.

#### 9. **Spare Parts (GCC Clause 14):**

Add as Clause 14 to the GCC the following: NA 10.

- Warranty (GCC Clause 15):
- G.C.C. Clause 15.2 (i)

The warranty period shall be in accordance to the period as specified in technical specification and warranty period shall start from the date of acceptance of goods. The Supplier shall, in addition, comply with the performance &/or consumption guarantees specified under the contract. If for reasons attributable to the Supplier, these guarantees are not attained in whole or in part, the Supplier shall at its discretion either;

make such changes, modifications, and/or additions to the Goods or any part thereof as may be necessary in order (a) to attain the contractual guarantees specified in the Contract at its own cost and expense and to carry out further performance tests in accordance with SCC 4;

#### (b) Substitute Clause 15.4 of the GCC by the following:

"Upon receipt of such notice, the Supplier shall, within the period specified in SCC and with all reasonable speed, repair or replace the defective goods or parts thereof, free of cost at the ultimate destination. The Supplier shall take over the replaced parts /goods at the time of their replacement. No claim whatsoever shall lie on the Purchaser for the replaced parts/goods thereafter.

In the event of any correction of defects or replacement of defective material during the warranty period, the warranty for the corrected/ replaced material shall be extended to a further period of 24 months."

(ii) GCC Clauses 15.4 and 15.5: The period for correction of defects in the warranty period is 15 days.

#### 11. Payment (GCC Clause 16):

The price of the goods purchased will be paid in the Currency in which the price has been stated in the successful bid.

- (i) Advance Payment: NA
- 12. Prices (GCC Clause 17):
- Prices payable to the supplier as stated in the contract shall be firm during the performance of the contract.

#### Sub-contracts (GCC Clause 21): 13. Add at the end of GCC sub-clause 21.1 the following: Sub-contract shall be only for bought-out item and sub-assemblies

#### 14. Liquidated Damages (GCC Clause 23):

#### 14.1 For delays :

GCC Clause 23.1 -- The applicable rate is 0.5% per week and the maximum deduction is 5% of the contract price after that the contract shall be cancelled & the performance security deposited by the supplier will be forfeited.

#### 15. Notices (Clause 32):

For the purpose of all notices, the following shall be the address of the Purchaser and Supplier.

Purchaser: Chief Executive Officer, Uttarakhand Livestock Development Board, Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehradun-248011, Uttarakhand, India

Supplier: (To be filled in at the time of Contract signature) .....

#### 16. Supplier shall regularly intimate progress of supply, in writing, to the purchaser as under:

- Quantity dispatched /delivered to consignees and date;
- Date of completion of entire Contract including incidental services, if any; and
- Date of receipt of entire payments under the Contract

#### **SECTION V : SCHEDULE OF REQUIREMENTS**

#### Note:

- 1. The date of delivery means the dates when goods are delivered to the consignee
- 2. The supplier shall be responsible for safe delivery of the goods up to consignee's place.
- 3. The delivery schedule will start from the date of placement of order.

Schedule No./ Part of Schedule	Brief Description of Item	Qty.	Delivery schedule
One Part A	Embryo cup Filter Warmer	01 No.	Two month from the date of Order
One Part B	Horizontal Electrophoresis System	01 No.	Two month from the date of Order
Two	Artificial Cow	01 No.	Two month from the date of Order
Three	Bench Top CO2 Incubator	02 No.	Two month from the date of Order
Four	Fodder Harvester cum Chaff Cutter	01 No.	Two month from the date of Order
Five	Tipping Trolley	01 No.	Two month from the date of Order
Six	Consumables for Genomic Lab	Variable	Two month from the date of Order
Seven	Equipments for Genomic Lab	Variable	Two month from the date of Order
Eight	Livestock Disease Detection Kit	Variable	Two month from the date of Order
Nine	Consumables and Chemicals for Livestock Cell Culture Lab	Variable	Two month from the date of Order
Ten	Equipment and Consumables for DNA Isolation and Karyotyping	Variable	Two month from the date of Order
Eleven	Automatic Wide Mouth Semen Straw Storage Type Liquid Nitrogen Container	01 No.	Within 24 hours of the placement of demand by phone/ fax/ email
Twelve	Rate Contract for Round the Year supply of Liquid Nitrogen for Artificial Insemination Program	Approx. 7,00,000 Liter	Two month from the date of Order
Thirteen	Supply, Erection and Commissioning of 6000 Liter Capacity Vertical Storage Type Liquid Nitrogen Vessel	01 No.	Four Month from the date of Order

Address of Consignee:

- 3. Addl. Manager, Deep Frozen Semen Production Center, Shyampur, Rishikesh, Dehradun, Uttarakhand, India
- 4. Addl. Manager, ULDB Semen Bank, Lalkuan, Nainital

<sup>1.</sup> Project Director/ Addl. Manager, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

<sup>2.</sup> Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand, India

## **SECTION VI : TECHNICAL SPECIFICATIONS**

#### Notes for Preparing the Technical Specifications

In the specifications of standards for equipment, materials, and workmanship, recognized national & international standards are used. The specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable.

#### Sample Clause: Equivalency of Standards and Codes

Where reference is made in the Technical Specification to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest current edition or revision of the relevant standards or codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number is avoided as far as possible; where unavoidable they should be followed by the words " or at least equivalent".

Where appropriate, drawings including site plans as required may be furnished by the Purchaser with the bidding documents. Similarly the Supplier may be requested to provide drawings with its bid for prior review by the Purchaser during contract execution.

#### SCHEDULE NO.: ONE PART A:

#### **TECHNICAL SPECIFICATION OF EMBRYO CUP FILTER WARMER:**

#### [N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

#### Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid.

Embryo cup/ Emcon OPU Tube Warmer that can provide ultra-precise temperature control warming of collection tube 50 ml and embryo cup filter (Emcon) during and after ovum pick up process. It should have active ultra-precision heating with temperature control range 20° C to 45° C and working at ambient Temperature range -0° C to 45° C. Microprocessor controlled heat pump with Temperature control resolution =  $0.0625^{\circ}$  C. Temperature LCD display resolution =  $0.1^{\circ}$  C. Provided with rechargeable battery with integrated power supply .Temperature holding duration 12+ hours. Supplied with suitable USB battery. Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected. Should install the system in the Indian electrical system.

Warranty: 2 Years.

Must provide catalogue number of all parts as above.

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

Ouote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

Note: Quoted Rates will be valid for One Year Duration.

#### **SCHEDULE NO.: ONE PART B:**

TECHNICAL SPECIFICATION OF HORIZONTAL ELECTROPHORESIS SYSTEM:

[N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid.

Product Contents: Buffer Tank, Lid with Cables, 15 x 7 cm<sup>2</sup> Tray, Leveling Bubble, 15- and 20- well combs, Casting Gates, Mini Gel Caster.

**UV-Transparent Gel Tray:** 15 x 10 cm<sup>2</sup> Gel Tray, 2 slots for fixed-height combs

UV-Transparent Gel Tray: 7 x 7 cm<sup>2</sup> Gel Tray, 2 slots for fixed-height combs

**UV-Transparent Gel Tray:** 7 x 10 cm<sup>2</sup> Gel Tray, 2 slots for fixed-height combs

8- Well Comb: 1.5 mm thick, fixed-height comb

15-Well Comb: 1.5 mm thick, fixed-height comb

#### **Basic Power Supply:**

100-120/220-240 V, power supply for basic applications such as submerged horizontal gel electrophoresis, includes power cord, with 4 pair of output terminals, run time up to 99 hr 59 min, adjustable time control, pause/ resume function, 3 digit LED display, EN61010 safety compliance

Warranty: 2 Years.

Must provide catalogue number of all parts as above.

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

#### **SCHEDULE NO.: TWO:**

#### **TECHNICAL SPECIFICATION OF ARTIFICIAL COW:**

[N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid.

Naturally shaped Life like Cow Model (Rear Half) for Artificial Insemination and Embryo Transfer Training Purpose.

Fiber Glass Body and Silicon Internal Parts to provide a realistic imitation of a cow's Reproductive Tract and Pelvic Cavity. Cow model must be Anatomically Correct including full Reproductive Tract and Rectum.

Reproductive Tract made of Silicon.

Inner Organs must be heated up to Natural Body Temperature.

Inflation of Rectum to simulate Pneumorectum..

Windows to allow internal views and to guide and assess the trainees procedure.

Removable Gynaecological parts like the cervix and uterus for guided training.

Padded pelvis for realistic feeling of bone structure and pelvic fat.

Possible to exchange easy and difficult cervix.

Removable life like tail.

Possibility to train students for manual pregnancy check and ovarian diagnosis.

The cow model should have option to use it for pregnancy and palpation with exchange of body parts.

Pregnant cow uterus for training of manual pregnancy detection.

Pregnant horn fluid filled to imitate amniotic fluids.

Pregnant horn enlarged.

Pregnant horn must contain palpable embryo.

Note: Quoted Rates will be valid for One Year Duration.

Two membranes in pregnant uterus to enable training of manual membrane slip for pregnancy diagnostics.

Intestine cushion for optimal palpation experience.

Interchangeable ovaries for ovarian palpation (small follicles, large follicles, corpus luteum, cyst etc.)

Detachable easy and difficult cervix, silicon uterus and vagina and rear part of cow including rear reproductive tract with detachable anatomically correct vulva and rectum.

#### Warranty: 2 Years.

Must provide catalogue number of all parts as above.

Bidders must submit the sole/exclusive distributor certificate issued by the manufacturer

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

Deliver Schedule: Within Two month from the date of Order.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

Note: Quoted Rates will be valid for One Year Duration.

**SCHEDULE NO.: THREE:** 

**TECHNICAL SPECIFICATION OF BENCH TOP CO2 INCUBATOR:** 

[N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid. Imported Bench top incubator that run with pre mix gas composition . Touch screen control and display.

Minimum of two individual incubation chambers with capacity to hold 8 numbers of 4 well NUNC dish simultaneously.

Must have grooves to hold 35 mm round dish , 60 mm round dish and 4 well square IVF NUNC dish-8 dishes.

Dedicated heating plates with grooves ensure direct heat transfer to the dish in all chambers.

Provide 100 NUNC 4 well dish and worming blocks two each of - 4 well NUNC, 35 mmX10 mm round dish, 5 ml centrifuge tube.

Must have humidity display, Temperature control and display.

Should provide Software and External Alarm connector. Provide alarm system that can be attach to alarm connector of the incubator during breakdown or under programming.

Disposable H2O humidification flasks supplied sterile in single packs-50 Bottles with tubing and filters to be provided

Data logging software of the bench top incubator with standard USB port to connect with Desktop.

Must provide tool kit and spanner.

Provide imported two stage regulator for mix gas which can hold high pressure 150 kPA (1.5 bar 22 psi)-01 number

Braided Connecting hose 3 meters-03 Pieces with Tapered ferrule, Backnut (4 pieces each).

Provide connectors in between the Mix Gas cylinder tubing and connection and the Incubator. Provide 2 extra inline filters.

Provide instillation and demonstration. CE marked. Certificate to be provided.

Provide 3 feet height and 5 feet X3 feet stainless steel 317 antivibration table to keep the bench top incubator.

All in One Desktop, Windows 10 Home, provide original MS Office, 8th Generation Intel® Core™ i7 processor, 2 TB 7200 rpm SATA with HDD, RAM 16 GB with 2 GB graphic card. Cloud service, Display 21 inch, Ports -1 audio in, 1 audio out, 1 microphone, 3 USB HDMi port, Wireless keyboard and Mouse, Network, LAN and Wireless, Bluetooth combo, Antivirus Mcfree one year, HP Make

Warranty: 3 Years manufacturer warranty and after that 2 years of CMC.

Must provide catalogue number of all parts as above.

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

Deliver Schedule: Within Two month from the date of Order.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

Note: Quoted Rates will be valid for One Year Duration.

#### SCHEDULE NO.: FOUR:

**TECHNICAL SPECIFICATION OF FODDER HARVESTER CUM CHAFF CUTTER:** 

[N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid.

Imported Fodder Harvester cum Chaff Cutter with two separate attachments that can fit in 55 to 75 HP Tractor available at Animal Breeding Farm, Kalsi, Dehradun and used for harvesting of:

1) Maize, Sugarcane, Napier, Jowar

2) Oat, Berseem & small grasses

Should be provided with all attachments & pulleys, hydraulics etc. needed to fit the Harvester in the tractor.

Fodder Harvester should cut, gather & chop the forage.

Working width should not be less than 01 m harvesting forage planted in row or broadcast, harvesting in any direction or inter cropped system.

Fodder Harvester cum Chaff Cutter hood should be attached in such a way so that harvested & thereafter chaffed fodder through hood will be collected in trolley attached to the same tractor.

Other Technical features:

Power source- Tractor PTO Capacity- up to 35 ton/ hectare Required Power at PTO- 55 to 75 HP Cut Size- 2.5 to 43 mm

Gears for adjusting cutting size and gear box included.

Extra 01 set of Cutting Blades and Safety Blades to be provided with Harvester cum Chaff Cutter.

Total Hydraulic Control.

All accessories should be provided.

Successful Bidder should give demonstration for minimum of 3 days at Animal Breeding Farm, Kalsi agriculture field to train staff/ Driver for handling of Fodder Harvester

Warranty: 02 years warranty and 03 years AMC after completion of two year warranty.

Must provide catalogue number of all parts as above.

Address of Consignee: Project Director/ Addl. Manager, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand Deliver Schedule: Within Two month from the date of Order.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

Note: Quoted Rates will be valid for One Year Duration.

#### **SCHEDULE NO.: FIVE:**

#### **TECHNICAL SPECIFICATION OF TIPPING TROLLEY:**

[N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid. Design Requirements

- Tractor driven machine trailed behind tractor.
- Body size- 6 X 12 feet
- Height- 05 feet (4 feet + 01 feet adjustable attachment)
- Tyre number 1000 20
- Capacity- not less than 05 tonn
- Hydraulic Jack and pin included
- 02 wheel tyre
- Tyre placed in center
- Working with 50 to 55 HP tractors.
- With hydraulic tipping arrangement using telescopic cylinder.
- Main Chassis in MS Chanel 200 x 7 5 mm, Secondary in 125 x 6 5 mm heavy.
- Flooring in 4mm MS Sheet duly braced as per need.
- Side wall in 2mm MS Sheet duly braced as per need.
- Rear door open able Rear tipping facility.
- Heavy duty double plate rims.
- Strong and sturdy CI hub with double bearings -SKF make or equivalent.
- Forged steel heavy duty toe eye 65 mm diameter,
- With suitable jack, hydraulic piping and quick release coupling.
- With top quality corrosion resistant painting.
- Should be Complete in all respects; ready to use version with RTO approval documents as per need

Warranty: 02 years warranty.

Address of Consignee: Project Director/ Addl. Manager, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

Deliver Schedule: Within Two month from the date of Order.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

Note: Quoted Rates will be valid for One Year Duration.

SCHEDULE NO.: SIX:

#### TECHNICAL SPECIFICATION OF CONSUMABLES FOR GENOMIC LAB:

[N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

# Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid.

Schedule/ Part No.	Item	Technical Specifications	Quantity
Six Part A	Micropipette 0.1- 2.5 µl	Imported micropipette with adjustable volume and volume locking system, spring loaded tip cone, fully autoclavable without	2 pipettes with 2000 tips 0.1- 2.5 μ1

			a i ii aaaa
	Micropipette 0.5-10	disassembly, 4 digit display for accurate volume setting and easier	2 pipettes with 2000
	μl Micropipette 10-100	volume identification, ultra light and chemically resistant piston, efficient control button and quick connection clip to discard tip.	tips 0.5-10 μ1 2 pipettes with 2000
	µl	Additionally provide compatible 2000 sterilised filtered tips 0.1- 2.5 $\mu$ l and sterilised 0.5-10 $\mu$ l, 10-100 $\mu$ l & 100-1000 $\mu$ l tips for	tips 10-100 µl
	Micropipette 100- 1000 µ1	single channel pipettes; $0.5-10 \ \mu$ l and $30-300 \ \mu$ l compatible tips for 8-channel pipettes. Tips should be packed in tip boxes. $0.1-2.5 \ \mu$ l	2 pipettes with 2000 tips 100-1000 µl
	8-CHANNEL PIPETTE 0.5-10 μl	tips should have HDPE filter, sterile, RNase, DNase, DNA and Pyrogen free. 0.5-10 μl, 10-100 μl & 100-1000 μl tips should be sterile, RNase, DNase, DNA and Pyrogen free. Tips for 8-channel	1 pipette with 2000 tips 0.5-10 µl
	8-Channel Pipette 30- 300 µl	pipettes with capacity $0.5-10 \ \mu$ l and $30-300 \ \mu$ l should be sterile, RNase, DNase, DNA and Pyrogen free. The holder should have space to hold 4-6 pipettes and should be rotatable with a balanced	1 pipette with 2000 tips 30-300 µ1
	Pipette Holder	base.	2 units
Six Part B	Micro Centrifuge Tubes- 0.5 ml	Microcentrifuge tubes for molecular biology work. Made of polypropylene, autoclavable, sterile, DNase, RNase, Pyrogen free,	5000 tubes
	Micro Centrifuge Tubes- 1.5 ml	graduated tubes with frosted labelling surfaces, withstand centrifugation upto 20000x G, high clarity for optimum sample	5000 tubes
	Micro Centrifuge Tubes- 2.0 ml	visibility, easily and single handedly open and close, smooth interior surface for non-adherence of sample inside. Tarson make	5000 tubes
Six Part C	PCR Tubes 0.2 ml	PCR tubes with flat cap for RT-PCR. 10,000 tubes with high	10,000 tubes (10
	with flat cap	clarity, sterile, autoclavable, DNase, RNase, Pyrogen free, compatible with thermal cycler. Packaging size- 1,000 tubes/pack. Thermo make AB0620	Packs)
Six Part D	Nuclease Free Water	Nuclease free water for dissolving primers and preparations of PCR reactions. Autoclaved, membrane-filtered, molecular biology grade, DNase-Free, RNase-Free, DEPC-treated. Packaged as 100 ml. Ambion Make AM9915G	10 bottles
Six Part E	Taq Polymerase in ready mix	Taq polymerase in ready mix format to avoid contamination due to multiple pipet steps for RT-PCR. Ready mix should have 7high quality Taq DNA Polymerase, 0.2 mM dNTPs, 1.5 mM MgCl <sub>2</sub> and buffer in a $2\times$ optimized reaction concentrate, should amplifies targets up to 7 kb in length, must supplied with a vial of PCR grade water for dilution, required concentration- 1.5 units/reaction (50 µL reaction volume), packaged as 1 X 2.5 mL vial for 100 reactions. Sigma make P4600.	20 vials (2000 reactions)
Six Part F	Agarose	Agarose for analysis and purification of nucleic acids for routine use. DNAse, RNase and protease free. Should have sulphate <0.15%, gel strength- $\geq$ 1200 g/cm <sup>2</sup> at 1%, gel point- 36±1.5°C at 1.5% and EEO= 0.09-0.13. Packaged as 500g Sigma A9539	2 Pack
Six Part G	50X TAE Buffer	50X TAE buffer for electrophoresis of nucleic acids in agarose gels. Should be 50X and filtered through a 0.22 μm membrane. The 1X buffer prepared from 50X should have composition as 40 mMTris, 20 mM acetic acid, 1 mM EDTA. Thermo B49. Packing Size: 1 Liter	2 Pack
Six Part H	Nucleic Acid Staining Dye	Nucleic Acid Staining dye for detecting nucleic acids in agarose gels. Should be non-carcinogenic, non-toxic, non-mutagenic and should not have any aberration rate. Packaged as 1 ml vial. SBS Genetech HGV-2	5 vials
Six Part I	Ethanol (molecular grade)	Molecular grade ethanol for DNA and RNA extraction and precipitation. Should have quality Level: 200, vapor density: 1.59 (vs air), assay: $\geq$ 99.45% and impurities level: $\leq$ 0.2% (water). Sigma E7023.	5 Bottle X 500 ml
Six Part J	100bp Gene Ruler	100bp gene ruler for quantification of ds DNA in the range of 100- 1000 bp. Should be compatible with agarose gels, ready to load, should be provided with 6X DNA Loading Dye. Packaged as 500 $\mu$ l vial.Thermo SM0243	10 vials
Six Part K	Taq I Restriction Enzyme	For detecting BLAD, citrullinaemia and DUMPS diseases respectively. Should be a fast digest enzyme, should complete digestion in 5-15 minutes, should be 100% compatible with downstream applications, there should not be any star activity,	4 Unit
	Ava I Restriction Enzyme	digested product be directly loaded on gel, buffer should include a density reagent and two tracking dyes for direct loading of	4 Unit
	Ava II Restriction Enzyme	digestion reaction products on gels.	4 Unit

r			
Six Part L	Cryovials	Cryovials with capacity of 1.8 ml for cryopreservation of serum,	3 Pack
		DNA etc. The vial alongwith cap should made of polypropylene	
		material and CE marked for storage of diagnostic samples in the	
		EU. Should be sterile, RNase free, graduated, self standing with	
		round bottom. Should provided with writing surface and can	
		withstand LN2. Required diameter (english)- 0.492 inches and	
		length (english)- 1.929 inches. Packaged as 1800/Pack.	
Six Part M	Vaccutainer Tubes	Heparin vacutainer tubes for cytogenetic studies and karyotyping,	50 packs
		Required volume- 10 ml, should be CE certified, have double	_
		safety caps made of plastic or rubber. Package size- 100 tubes in	
		thermocool tray/pack	
	Vaccutainer Tubes	EDTA vacutainer tubes for molecular genetic studies. Required	50 packs
		volume- 10 ml, should be CE certified, have double safety caps	<sup>^</sup>
		made of plastic or rubber. Package size- 100 tubes in thermocole	
		tray/pack	
	Vaccutainer Tubes	Clot activator vacutainer tubes for serum . Required volume- 10 ml,	50 packs
		should be CE certified, have double safety caps made of plastic or	_
		rubber. Package size- 100 tubes in thermocole tray/pack	
	Vaccunatiner Needles	Required- 21g, 1.0 Inch. Should be sterile, latex free.	5000 needles
Six Part N	Tissue Rolls	Should have good strength and high absorbing. Required length 20-	1000 rolls
		25 mt.	
Six Part O	Dry Bath Blocks for	Should accommodate tubes with outer diameter 16mm, places	1 block
	16 mm tube	required- 12, should be made of stainless steel material.	
	Dry Bath Blocks for	Should accommodate 2ml tubes, places required- 24, should be	1 block
	2ml tube	made of stainless steel material.	

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

**Deliver Schedule:** The rate will be valid for one year and ULDB will place order as per requirement. The delivery will be done within Two month from the date of Order.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

**SCHEDULE NO.: SEVEN:** 

#### **TECHNICAL SPECIFICATION OF EQUIPMENT FOR GENOMIC LAB:**

[N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

#### Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid.

Schedule/ Part No.	Item	Technical Specifications	Quantity
Seven	Electrophoresis	Electrophoresis system with power pack for preparing and running agarose gels.	1 Unit
Part A	System with Power Pack	Should have accessories as Wide Mini-Sub Cell Base, Wide Mini-Sub Cell Safety Lid with Cables Mini-Gel Caster, Wide Mini-Sub Cell Electrode (Anode) Wide Mini-Sub Cell Electrode (Cathode) Wide Mini-Sub Cell Gel Casting Gates, 2 UVTP Gel Tray, 15 x 10 cm, 2 UVTP Gel Tray, 15 x 7 cm, Fixed position combs (15 wells and 20 wells), Levelling bubble, Base footprint with dimensions- 26X20X7.5 cm, should have base buffer volume- 650-900ml, should carry base gel size- 15X7 cm, should carry trays size- 15X7 cm & 15X10 cm, should work on maximum voltage limit- 150VDC & maximum power limit- 45 watt. Should maintain maximum buffer temperature to 40°C.The supplied power pack should run up to four cells simultaneously, should have timer controller and fully programmable, should have CE and EN-61010 safety compliant, should have pause/resume run capability. Should monitor voltage and current. Required voltage range 10–300 V and current range 4–400 mA and maximum power 75 W. should supply one extra pair of electrodes with cables.	
Seven	Ice Flaking	Ice flaking machine for making ice for preparing PCR and qPCR. Should have	1 Unit
Part B	Machine	capacity of 30 kg, should made of stainless steel, should have automatic microprocessor control, CFC free compressor, low water level indication, noiseless operation, overload protection, compact design and low maintenance, should make continuous ice flakes output and should be provided with a scoop for taking out ice.	
Seven Part C	Weighing Balance	Weighing balance. Should have maximum capacity- 110g, readability- 0.1mg, full tare range, repeatability- $\pm 0.1$ mg, linearity- $\pm 0.2$ mg, pan size- 85Ømm, stabilization time- 3-4 sec, communication- RS232 interface, internal calibration, multi unit weight units, power- 230V/11V AC or 120V/ 11V AC, LCD Display with back light and should work within temperature range of 10°C to 40°C	1 Unit

Seven	Solo Microwave	Microwave Oven for making gel etc. should have timer, cavity material should be	1 Unit
Part D	Oven	ceramic enamel and anti bacterial and scratch resistant. Power requirement and	
		consumption should be AC 230 V, 50 Hz & Microwave 1150 W respectively.	
		Required width, height and depth- 48.9/27.5/37.4 cm. Required cavity width, height	
		and depth- 33/21.1/32.4 cm	
Seven	Micro	Micro centrifuge tube spinner for spinning 0.5/ 1.5 and 0.2 ml tubes respectively.	1 Unit
Part E	Centrifuge Tube	Should be fast to operate, should have direct on/off switch, spin at fixed speed at	
	Spinner for	around 6000 rpm, should have 6 place rotor for 0.5/1.5 ml tubes and 2 X 8 place	
	0.5/1.5 ml tubes	rotor for 0.2 ml tubes in separate spinners.	
	Micro		1 Unit
	Centrifuge Tube		
	Spinner for 0.2		
	ml tubes		
Seven	Vortex Shaker	Vortex Shaker for shearing and vortexing samples during DNA isolation. Should be	1 Unit
Part F		compact, should have rubber feet to prevent movement of shaker during use, should	
		have continuous and touch mode, variable speed control, maximum speed upto 3000	
		rpm. Must include one hand insert, micro tube insert and cup attachment	

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

**Deliver Schedule:** The rate will be valid for one year and ULDB will place order as per requirement. The delivery will be done within Two month from the date of Order.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

Note: Quoted Rates will be valid for One Year Duration.

#### **SCHEDULE NO.: EIGHT:**

#### TECHNICAL SPECIFICATION OF DISEASE DETECTION KIT:

[N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

Technical Literature.	brochures and all oth	er relevant information	supporting the	bid must accompany	the Technical Bid.

Schedule/ Part	Diseases	Quantity
No.		
Eight Part A	Brucella: Indirect ELISA: IDEXX Brucellosis Serum X2 Ab Test kit (960 Sample/ Kit).	2 kits
-	Catalogue no.BAT1132T	
Eight Part B	Brucella: Competitive ELISA: APHA COMPELISA-400 (400 Samples/ Kit).	4 kits
	Catalogue no.RAI2006	
Eight Part C	IBR: Competitive ELISA: IDEXX IBR gB X3 Ab Test (480 Sample /Kit).	2 kits
-	Catalogue no.99-41299	
Eight Part D	BVD: Sandwich ELISA: IDEXX BVDV Ag/Serum Plus Test (480 Samples/ Kit).	2kits
-	Catalogue no.99-43830	

Warranty: 02 years warranty.

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

**Deliver Schedule:** The rate will be valid for one year and ULDB will place order as per requirement. The delivery will be done within Two month from the date of Order.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

#### **SCHEDULE NO.: NINE:**

TECHNICAL SPECIFICATION OF CONSUMABLES AND CHEMICALS FOR LIVESTOCK CELL CULTURE LAB: [N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid] Technical Literature, brochurgs and all other relevant information supporting the bid must accompany the Technical Bid

Schedule/ Part No	Item		Technical Specifications	Quantity
Nine Part	Treated	Cell	Required for propagation of cell culture. The flasks must have area of 25cm <sup>2</sup> and	200 pack
А	Culture Flask	25	working volume (metric) should be 7ml. Should made up of polystyrene material	(2000
	sq cm		havingnunclon delta surface certified for monolayer formation, cloning	flasks)
			efficiency, non-cytotoxic, non-pyrogenic, and sterility. It should support cell attachment, growth and differentiation and maximize adhesion for a broad range	
			of cell types. Should have an angled neck and wide opening for easy access to	
			the growth surface by pipettes or cell scrapers. The closure should be filter type.	
			Should be packed as 10 per pack. Model/ Make: NUNC- 156367	

Nine Part N	Water	Required for prepared of cell culture reagents. Should have quality level 300, very low endotoxin (less than 1 EU/ml), 0.2 micron filtered, sterile filtered and suitable for mammalian cell culture. packaged as 500 ml bottle. Model/ Make: Sigma- W3500	6 Bottle
Nine Part M	Dulbecco's Phosphate Buffered Saline (with calcium & magnesium)	Required for washing and rinsing adherent and suspension cell culture. Should contain calcium and magnesium chloride, 10X solution. Should have quality level 300, sterile filter, endotoxin tested and suitable for mammalian cell culture. Packaged as 500 ml bottle. Model/ Make:	1 Bottle
Nine Part L	Dulbecco's Phosphate Buffered Saline(calcium & magnesium free)	Required for washing and rinsing adherent and suspension cell culture. Should be calcium and magnesium chloride free, 1X solution. Should have quality level 300, sterile filter, endotoxin tested and suitable for mammalian cell culture. Packaged as 500 ml bottle. Model/ Make: Sigma- D8537	6 Bottle
Nine Part K	Isopropanol	Required for filling freezing container. Should have quality level 200 and should be in colorless liquid form and should have pass filter test, DNases, RNases, insoluble material, phosphatses and proteases not detected. Packaged as 500 ml bottle. Model/ Make: Sigma 59304-500ML-F	1 Bottle
Nine Part J	Mr. frosty freezing container	For cryopreservation of cells. should have 18 holds for 1-2 ml tubes. Should be designed to achieve a rate of cooling very close to -1°C/minute, the optimal rate for cell preservation. Required optimal height (metric) 86mm and dimeter (metric) 117mm. Model/ Make: Thermo- 5100-0001	2 Units
Nine Part I	DMSO (Schedule Thirteen Part I)	Required for cryopreservation of cells. quality level should be 300, sterile filtered, endotoxin tested, $\geq$ 99.7% assay, impurity level should be $\leq$ 0.1% water and suitable for cell freezing. Packaged as 10 ml in flame sealed ampules. Sigma- D2650	5 Ampoules
Nine Part H	Trypsin- EDTA solution	Required for detaching adherent cells from culture surface. Should contain 2.5 g/l porcine trypsin and 0.2 g/l EDTA•4Na. Should have quality level 500, sterile filtered, pH range should be 7-7.6, suitable for mammalian cell culture and porcine parvovirus none detected. should have phenol red as pH indicator. Should be packaged as 500 ml bottle. Model/ Make: Sigma-T4049	2 Bottle
Nine Part G	Antibiotic	Required for preparation of cell culture media. Should contain 10,000 units penicillin, 10mg streptomycin and 25ug amphotericin B per ml in suspension form (100X) to prevent gram positive, negative and yeast and fungi in cell culture. Should have quality level 200, sterile filtered, endotoxin free, suitable for mammalian cell culture. Packaged as 100 ml bottle. Model/ Make: Sigma-A5955	2 Bottle
Nine Part F	Vitamins	Required as supplement in cell culture media preparation. Should be 100x solution, sterile filtered and suitable for mammalian cell culture. Packaged as 100 ml bottle. Model/ Make: Sigma- B6891	1 Bottle
Nine Part E	Non-essential amino acid solution	Required as supplement for preparation of cell culture media. Should have quality level 200, sterile filtered, endotoxin tested and suitable for mammalian cell culture. Packaged as 100 ml bottle. Nodel/ Make: Sigma- M7145	1 Bottle
Nine Part D	Fetal Bovine Serum	phenol red as pH indicator. Should be supplied with a expiry date of atleast a year. Packaged as 500 ml bottle. Model/ Make: Sigma- D6429 Required as supplement for cell culture media preparation. Should be virus and mycoplasma tested, EU approved- South America origin and supplied with a certificate of analysis detailing Q.C details. Should be sterile filtered and packaged as 500 ml bottle and shipped in dry ice. Model/ Make: Gibco- 10270-106	2 Bottle
Nine Part C	Cell culture media (DMEM)	Required for animal cell culture. Should be sterile filtered and endotoxin tested and suitable for mammalian cell culture. Should have glucose concentration 4500 mg/L and L-glutamine, sodium pyruvate and NaHCO <sub>3</sub> added in media and	6 Bottle
	sq cm	25ml. Should made up of polystyrene material havingnunclon delta surface certified for monolayer formation, cloning efficiency, non-cytotoxic, non-pyrogenic, and sterility. It should support cell attachment, growth and differentiation and maximize adhesion for a broad range of cell types. Should have an angled neck and wide opening for easy access to the growth surface by pipettes or cell scrapers. The closure should be filter type. Should be packed as 5 per pack. Model/ Make: NUNC-156499	Flasks)
Nine Part B	Treated Cell Culture Flask 75	Required for propagation of cell culture for more confluency and cell number. The flasks must have area of $75 \text{cm}^2$ and working volume (metric) should be	100 Pack (500

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

**Deliver Schedule:** The rate will be valid for one year and ULDB will place order as per requirement. The delivery will be done within Two month from the date of Order.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected.

#### **SCHEDULE NO.: TEN:**

# TECHNICAL SPECIFICATION OF CONSUMABLES AND CHEMICALS FOR LIVESTOCK CELL CULTURE LAB: [N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

Schedule/ Part No	Item	em Technical Specifications			
Ten Part A	DNA Isolation Kit silica column based kit with 50 reactions each Kit	DNA isolation kit for isolation of DNA from blood, cells, tissue etc. silica column based kit with 50 reactions. Invitrogen Make K182001	20 Kit		
Ten Part B	Micro tips- 200-1000µl	Required for cell culture. Should have capacity for 200-1000µl. Should be made of polypropylene material, should be autoclavable, certified DNase, RNase, PCR inhibitor and human DNA free. Packaged as 1000 tips/pack. Model/ Make: Tarsons 521020	5 Pack		
	Micro tips- 20-200µl	Required for cell culture. Should have capacity for 20-200µl. Should be made of polypropylene material, should be autoclavable, certified DNase, RNase, PCR inhibitor and human DNA free. Packaged as 1000 tips/pack. Model/ Make: Tarsons 521010	5 Pack		
Ten Part C	Centrifuge Tube- 50ml	Required for cell culture. Should have capacity of 50 ml and made of polyprolylene material confirming to USP class VI autoclavable, should be sterile, leak proof, should have printed volume graduation and writing area along the lenth of the tube. Should withstand upto 15000xG and DNase, RNase and pyrogen free. Packaged as 500 tubes per pack. Model/ Make: Tarson 546021	2 Pack		
	Centrifuge Tube- 15 ml	Required for cell culture. Should have capacity of 15 ml and made of polyprolylene material confirming to USP class VI autoclavable, should be sterile, leak proof, should have printed volume graduation and writing area along the lenth of the tube. Should withstand upto 15000xG and DNase, RNase and pyrogen free. Packaged as 500 tubes per pack. Model/ Make: Tarson 546041	2 Pack		
Ten Part D	Karyotyping media	Required for short term culture of peripheral blood lymphocytes for karyotyping. Media should be ready to use supplemented with required L-Glutamine, FBS, PHA-M, penicillin, streptomycin, sodium bicarbonate and phenol red as pH indicator. Media should not require supplementation with any additional components. Packaged as 500 ml bottle. Model/ Make: Himedia AL165A	2 Bottle		
Ten Part E	Colchicine	Required for karyotyping process. Should be provided as $10\mu g$ per ml colchicine in PBS. Should be sterile filtered solution, pH range should be 7-7.6 and osmolality range 300-340 mOsm/kg H <sub>2</sub> O. Packaged as 20 ml bottle. Model/ Make: HimediaTCL062	1 Bottle		
Ten Part F	Hypotonic solution	Required as hypotonic solution in karyotyping. Should contain 0.075M potassium chloride solution. Should be colorless, clear solution with pH 5.0 -6.0, endotoxin content NMT 5EU/ml and sterility should be as per USP specifications. Packaged as 100 ml bottle. Model/ Make: Himedia TCL040	5 Bottle		
Ten Part G	Giemsa stain	Required for staining chromosomes for karyotyping. Should contain sterile filter concentrated solution of giemsa. Should appear dark blue, pH range 6.4-7.0, have passed cell culture test and sterility should be as per USP specifications. Packaged as 100 ml bottle. Model/ Make: HimediaTCL083	1 Bottle		
Ten Part H	Culture Flasks for suspension culture	Required for suspension culture. The flask should have surface area of 25 cm <sup>2</sup> , working volume of 5 ml and sterile. Should made of polystyrene material with non treated surface, cap should be vented and made of polyethylene material. Packaged as 10 flasks per pack. Model/ Make: HimediaTCS4	10 Pack		
Ten Part I	Glass slides	Required for preparing chromosome spread. Should be clean, one end frosted, polished corners and LxBxH dimensions should be 75 X 25 X 1.4 mm. Packaged as 50 slides per pack.	4 Pack		
	Cover slips	Required for preparing chromosome spread. Should be clean, 18 x 18 mm size. Packaged as 200 coverslips per pack.	4 Pack		

Ten Part J	Methanol	Required for preparation of fixative for karyotyping. Should be laboratory grade reagent with ≥99.96% assay, DNase, RNase, protease not detected. Packaged as 1Lit bottle. Model/ Make: Sigma 179957	1 Bottle
Ten Part	Glacial acetic acid	Required for preparation of fixative for karyotyping. Should be ≥99.99%	1 Bottle
Κ		trace metal basis, quality level should be 100. Packaged as 500 ml bottle.	
		Model/ Make: Sigma 338826	

Address of Consignee: Addl. Manager (EBRTC)/ In-Charge, IVF, Embryo Bio Technology Research and Training Center, Animal Breeding Farm, Kalsi, Dehradun, Uttarakhand

Deliver Schedule: The rate will be valid for one year and ULDB will place order as per requirement. The delivery will be done within Two month from the date of Order.

Ouote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected

#### **SCHEDULE NO.: ELEVEN:**

#### TECHNICAL SPECIFICATION OF AUTOMATIC WIDE MOUTH SEMEN STRAW STORAGE TYPE LIQUID NITROGEN CONTAINER:

#### [N.B. Equipment under this schedule should conform to BIS/ ISO Certification Standards, a proof of which shall have to be submitted along with the Technical Bid]

Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical Bid.

- Wide Mouth LN2 Container made of Stainless Steel of approximate 200 Ltrs capacity.
- ≻ Should have capacity to store more than 1.80 Lakh straws of 0.25 ml (with Canisters)
- ≻ Should have option with inventory software for easy access of doses.
- ≻ Neck Diameter not more than 540 mm
- ⊳ Static Holding Time: Minimum 30 Days
- Internal Diameter: Approx. 540 mm ≻
- $\geq$ Empty Weight: Not more than 170 kg
- $\triangleright$ Total Weight (including samples): Not more than 330 kg
- ≻ Total Height: Max. 1350 mm; Access height 1205 mm
- ≻ Daily evaporation rate should be less than 7 Ltr./day.
- ≻ Should be with lock option from unauthorized access of doses.
- Should be with Temp. Indicator, low temperature alarm, level Indicator, Low level alarm indicator. ≻
- ≻ Should have auto LN2 filling.
- Should have option for Interface for remote monitoring.  $\geq$
- Heavy-duty casters to provide mobility within the lab.  $\triangleright$

The Equipment must be quoted with two year warranty including installation. The bidders must have experience of installing successfully at least (04) four similar systems in CMU Graded Semen Labs in India, for which necessary documents along with satisfactory working report from the users must be submitted along with Technical Bid. The bidder must have proven service support history and document supporting past record and present setup must be submitted along with Technical Bid. Warranty: 02 years warranty.

Address of Consignee: Addl. Manager (Lab), Deep Frozen Semen Production Center, Shyampur, Post; Gumaniwala, Rishikesh, Dehradun, Uttarakhand

Deliver Schedule: The rate will be valid for one year and ULDB will place order as per requirement. The delivery will be done within Two month from the date of Order.

#### Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected

#### SCHEDULE: TWELVE PART A, B & C: **TECHNICAL SPECIFICATION OF LIQUID NITROGEN:** 1.

The rates of liquid nitrogen shall be quoted for the following requirements:

Particulars	Technical Specification
Liquid Nitrogen in Purchasers Pressurized	The Supplier shall fill the Purchasers vessel at a maximum of 6 bars
2000 liter or more capacity vessels (Ex-	pressure. During filling the vent valve of buyers' tanker will be kept in
factory)	open position.
Liquid Nitrogen in firms pressurized	The Suppliers tanker should be at a maximum pressure of 6 bars at the time
vessels of 6000-8000 liter capacity on	of decanting in Purchasers vessel. Failing which the Suppliers Tanker will
FOR Basis at Shyampur- Rishikesh	be weighed only after correction of the requisite pressure.
Liquid Nitrogen in firms pressurized	The Suppliers tanker should be at a maximum pressure of 6 bars at the time
vessels of 6000-8000 liter capacity on	of decanting in Purchasers vessel. Failing which the Suppliers Tanker will
FOR Basis at Lalkuan- Nainital	be weighed only after correction of the requisite pressure.
	Liquid Nitrogen in Purchasers Pressurized 2000 liter or more capacity vessels ( <b>Ex-</b> <b>factory</b> ) Liquid Nitrogen in firms pressurized vessels of 6000-8000 liter capacity on <b>FOR Basis at Shyampur- Rishikesh</b> Liquid Nitrogen in firms pressurized vessels of 6000-8000 liter capacity on

NB: 1. The rate will be evaluated separately on Part basis including Taxes, Levies etc.

2. Rate quoted should be including cooling/ purging charges.

#### **Other Technical Specifications:**

- 1. Shall have temperature of  $-196^{\circ}$ C.
- 2. Shall be 99% pure.
- 3. If provided in pressurized vessel shall not be filled at a pressure of more than 6 bars.
- 4. Shall fill the Purchasers vessel within 4-6 hours of entry of Purchasers vessel inside the Suppliers premises.
  - The following conversion factor will be considered for billing in litres: 1 kg. of LN2 = 1.234 Liters of LN2
- 5. Only bonafied manufacturers with a minimum production capacity of 5 tonnes per day will be entertained. A certificate regarding production details & installed storage capacity of liquid nitrogen have to be submitted with technical bid.
- 6. The liquid nitrogen so procured by the board will be used for preservation of semen & is exempted from excise duty however the firm should quote the rate of liquid nitrogen which should include cooling charges etc.

#### Address of Consignee:

- 1. Addl. Manager (DFSPC), Deep Frozen Semen Production Center, Shyampur, P.O. Gumaniwala, Rishikesh, District-Dehradun, Uttarakhand
- 2. Addl. Manager (Inputs), ULDB Semen Bank, Campus of Government Veterinary Hospital, Lalkuan, District- Nainital, Uttarakhand

Deliver Schedule: Within 24 hours of the placement of demand by phone/ fax/ email.

## SCHEDULE NO. THIRTEEN:

# TECHNICAL SPECIFICATION FOR SUPPLY, ERECTION AND COMMISSIONING OF 6000 LITER CAPACITY VERTICAL STORAGE TYPE LIQUID NITROGEN VESSEL:

[N. B.: Equipment under this schedule should conform to BIS/ ISO certification standards, a proof of which shall have to be submitted along with the Technical bid]

# Technical Literature, brochures and all other relevant information supporting the bid must accompany the Technical bid. A. GENERAL:

- 1. The Liquid Nitrogen Vessel, as mentioned hereinafter is required for the storage and distribution of LN2 at the Deep Frozen Semen Laboratory, semen banks and in all the districts of the State of Uttarakhand.
- 2. The delivery of the 6000 liter LN2 Vessel will consist of supply, installation and commissioning at the site specified in the contract along with explosive license for a period of three years and necessary approval from the competent authority (if required). Commissioning will mean the onsite purging & filling of LN2 in the container after installation at the specified site.
- 3. The Liquid Nitrogen Vessel offered should be new.
- 4. The liquid nitrogen vessel should be suitable for cryogenic application. For the 6000 liter vessel the selection of material, process of manufacturing, testing, sampling should conform to ASME Boiler and Pressure Code Section VIII, Division 1, under third party inspection, C.C.O.E. clearance (If Required) and as per SMPV rule and ISI/ISO 9001/ISO 9002 with latest amendments or any other equivalent internationally accepted code.
- 5. The liquid nitrogen vessel will be imprinted with the logo of the Uttarakhand Livestock Development Board.

#### **B. TECHNICAL SPECIFICATIONS:**

#### **B.1. Design & Construction**

1. Inner Vessel: Inner vessel shall be designed, fabricated, tested and inspected as per latest ASME Pressure Vessel Code Section VIII, Div.I, or any other equivalent code with service temperature of-196 <sup>0</sup>c suitable for storing cryogenic liquid.

Material of Construction: SS304

- 2. Outer Vessel: The outer vessel or vacuum casing shall be designed as per CGA-341 code or any other equivalent code to withstand 15 psig external pressure
- Material of Construction: Carbon steel of suitable grade
- **3. Insulation:** The annular space between inner vessel and outer vessel shall be insulated with Multi-layer Super Insulation (MLSI) and sealed under high vacuum of better than 5 Micron.
- 4. Piping: Suitable product piping shall be provided for product fill, product withdrawal and pressure building with suitable relief devices and valves (Ref. Schematic). The piping size shall be suitable and material of construction shall be SS304.
- 5. Instrumentation: The tank shall be equipped with a pressure guage and liquid level differential pressure guage to read liquid level in the tank.
- B.2. Cleaning: All wetted surfaces shall be thoroughly cleaned for cryogenic service.
- **B.3. Painting:** All the external surface of outer vessel shall be thoroughly cleaned and immediately primer coated. Subsequently the surface shall be painted with two coats of synthetic enamel paint as per specified shade.

#### **B.4. Inspection & Testing:**

- 1. Leak tightness of inner, outer vessels and all joints to be tested with Helium Mass Spectrometer Leak Detection system.
- 2. Hydro-test as per code for Inner Vessel.
- 3. Static Evaporation Loss Rate test / cold spot test

#### **B.5. Specification**:

S. No.	Particulars	Storage type (6000 ltrs.)
1	Tank Type	Liquid Nitrogen Storage Tank
2	Configuration	Vertical/ Cylindrical/ Double walled
3	Capacity Gross in Ltrs.	6100- 6500
4	Capacity Net in Ltrs.	5800-6100
5	Inner Vessel	
5.1	Material of Construction	SS304
5.2	Design & Mnfg. Code	ASME Sec. VIII, Divn. I
5.3	Operating Pressure in kg/cm2	0.9 kg/cm2
5.4	Design Pressure in kg/cm2	As per code
5.5	Hydro. Test Pressure in kg/cm2	As per code
5.6	Cleaning Duty Std.	Any PESO approved 3rd party
5.7	Third Party Inspn. Agency	Any PESO approved 3rd party
6	Outer Vessel	
6.1	Material of Construction	CS/IS2062 Gr. B
6.2	Design & Manufacturing Code	CGA-341
6.3	Safety Device Rating, kg/cm2(g)	As per code
6.4	Safety Device Location	Outer Shell
6.5	Third Party Inspection Agency	Not applicable
7	Insulation System	
7.1	Type of Insulation	High Vacuum Multilayer Super Insulation
8	Performance	
8.1	Static Evaporation Loss Rate	0.75 % per day
8.2	Stable Warm Vacuum at Works	Better than 5 x 10 <sup>-3</sup> Torr
9	Pressure Building Coil	
9.1	Tube & Flange Material	SS304/ Aluminium finned tube
9.2	Fin Material	SS304/ Aluminium -6063-T5
10	External Surface	Mechanical Cleaning
11	Primer	Two Coats
12	Final Paint [polyurethane]	Two Coats


**B.6.** The annular space should be provided with suitable type and adequate quantity of absorber material to ensure maintenance of quality vacuum. After evacuating the annular space to the desired vacuum level, the pump out port on the outer shell shall be provided with suitable vacuum seal and a protective cap.

#### **B.7.** Other Features:

This vessel is for the bulk storage of liquid nitrogen at Semen Bank situated at Lalkuan, Nainital & the subsequent bulk transport of LN2 in non-pressurized containers. One 6000 liter vertical storage type liquid nitrogen vessel is required. For the static storage liquid nitrogen container the bidders will be required to submit their bids on a turnkey basis which will involve the following:

- 1. The supply and installation of the 6000 liters vessel on our site including the construction of platform for the LN2 container and all other required civil works.
- 2. The procurement of clearance and/or obtaining the explosive license and a no objection certificate for the 6000 liters vessel for the ULDB from the competent authority (if required).
- 3. Placement of connecting insulated hoses with taps of suitable design for the delivery of LN2 to the transport type non pressurized containers. The vessel should be provided with 3 mtr. Long insulated hose pipe (2 nos.) with connecting and detachable phalanges on both sides to decant LN2 into transport type non pressurized containers.
- 4. Super insulation resulting in small footprint, maximizing storage and high vacuum thus minimizing loss by evaporation.
- 5. Dual safety release valve for extra protection.
- 6. External vessel should be fitted with pressure relief device.
- 7. Automatic pressure build regulator.
- 8. Should have twin safety valves with flow diverter valve with suitable rupture discs.

#### Schematic Line Diagram of 6000 liters LN2 Vessel



Warranty: 02 years warranty from the date of installation and commissioning of vessel.

#### Address of Consignee:

Addl. Manager (Inputs), ULDB Semen Bank, Campus of Government of Veterinary Hospital, Lalkuan, Nainital, Uttarakhand

Deliver Schedule: Within Four months from the date of Order. The rate will be valid for one year.

Quote for only one model in accordance to the specification desired, technical bid with multiple options shall be summarily rejected

#### QUESTIONNAIRE TO BE FILLED BY THE BIDDERS

#### Information to be given for 6000 lit Liquid Nitrogen Vessel

- 1 Name/ Manufacturer's Name
- 2 Model No.
- 3 Ref. of Standard/ Code followed in Selection of
- i Material
- ii. Fabrication
- iii. Testing
- **4** a. Material of construction of
- i. Inner Vessel
- ii. Outer Vessel
- 4 b. Code/ Standard to which these Material Types adheres to
- 5 Insulation Material Type
- a Vacuum Level of Annular Space at ambient temperature
- b Is Vacuum Port provided on the outer shell?
- c Is Protective Cap provided on the top?
- d Are the lifters provided with Storage Type & Transport Type Vessels?
- 6 Testing
- a Norms of Evaporation Test
- b Norms of Pressure Test
- c Norms of MSLD Test
- d Details of Test Certificates to be provided
- 7 Marking: Details of markings in each vessel
- 8 Technical Specification Complete the table below

S. No.	Characteristics	6000 Lit vertical pressurized liquid nitrogen tank
1.	Capacity in Liter	
2.	Model No.	
3.	Tank Type	
4.	Configuration	
5.	Capacity Gross in Ltrs.	
6.	Capacity Net in Ltrs.	
7.	Dimensions	
7.1	Overall Height in mm	
7.2	Outside Diameter in mm	
8	Inner Vessel	
8.1	Material of Construction	
8.2	Design & Mnfg. Code	
8.3	Operating Pressure in kg/cm2	
8.4	Design Pressure in kg/cm2	
8.5	Hydro. Test Pressure in kg/cm2	
8.6	Cleaning Duty Std.	
8.7	Third Party Inspn. Agency	
9	Outer Vessel	
9.1	Material of Construction	
9.2	Design & Manufacturing Code	
9.3	MAWP (External) kg/cm2	
9.4	Safety Device Size	
9.5	Safety Device Rating, kg/cm2g	
9.6	Safety Device Location	
9.7	Third Party Inspn. Agency	
10	Insulation System (Type of Insulation)	
11	Performance	
11.1	Static Evaporation Loss Rate	
11.2	Stable Warm Vacuum at Works	
12	Pressure Building Coil	
12.1	Tube & Flange Material	
12.2	Fin Material	
13	External Surface	
14	Primer	
15	Final Paint [polyurethane]	

Note: Attach technical literature of the offered models and relevant information.

#### SECTION VI-A : QUALIFICATION CRITERIA

<u>SCHEDULE NO. ONE:</u> The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

<u>SCHEDULE NO. TWO:</u> The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

**SCHEDULE NO. THREE:** The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

**SCHEDULE NO. FOUR:** The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

<u>SCHEDULE NO. FIVE:</u> The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

<u>SCHEDULE NO. SIX:</u> The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

<u>SCHEDULE NO. SEVEN</u>: The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

<u>SCHEDULE NO. EIGHT</u>: The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

**SCHEDULE NO. NINE:** The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

**SCHEDULE NO. TEN:** The bidder should have previous experience of supplying items of similar specification. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

**SCHEDULE NO. ELEVEN:** The bidder should have previous experience of supplying items of similar specification. The bidders must have experience of installing successfully at least (04) four similar systems in CMU Graded Semen Labs in India, for which necessary documents along with satisfactory working report from the users must be submitted along with Technical Bid. The bidder must have proven service support history and document supporting past record and present setup must be submitted along with Technical Bid. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

**SCHEDULE NO. TWELVE:** The bids of only those Bidders shall only be considered who are bonafide manufacturers of liquid nitrogen with manufacturing capacity of 5 tonnes liquid nitrogen per day and should have experience of supplying liquid nitrogen of the required specifications. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

**SCHEDULE NO. THIRTEEN:** The bids of only those Bidders shall be considered who have experience of supply, installation and commissioning of LN2 storage type vessel of similar or higher capacity. The bidders are therefore required to submit necessary documents in support of having the above mentioned experience including all other documents (as per checklist) in the Technical Bid.

#### SECTION VII

#### **DECLARATION**

#### (To Be submitted in Original in ₹100.00 Non judicial stamp paper)

Bid Reference No.: 1991/ULDB/PROC./Vol.XVI ETT-III/2020-21

Date: ..... Dated: 20<sup>th</sup> October 2020

To:

Chief Executive Officer Uttarakhand Livestock Development Board Pashudhan Bhawan, Ist Floor, P.O. Mothrowala, Dehardun – 248001, Uttarakhand, India

Sir,

We undertake, if our bid is accepted, to deliver the goods in accordance with the delivery schedule specified in the bidding document.

If our bid is accepted, we will submit DD/ FDR/ Banker's Cheque / Bank Guarantee/ Pay Order of a bank in a sum equivalent to ..... percent of the total Contract Price for the due performance of the Contract, in the form as prescribed by the Purchaser.

We agree to abide by this bid for the Bid validity period specified in ITB Clause 14 and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

Until a formal contract is prepared and executed, this bid, together with your written acceptance thereof and your notification of award, shall constitute a binding Contract between us.

We undertake that, in competing for (and, if the award is made to us, in executing) the above contract, we will strictly observe the laws against fraud and corruption in force in India.

We understand that you are not bound to accept the lowest or any bid you may receive.

We clarify/confirm that we comply with the eligibility requirements as per the bidding document.

We, as an authorized representative(s) of company/ Firm, declare that our Company/ Firm has an unblemished record and is not declared ineligible for corrupt & fraudulent practices, is not blacklisted either indefinitely or for a particular period of time, nor has had work withdrawn, by any State/ Central Government/ PSU.

Dated this ...... day of......20......

Name & Seal of Signing Authority .....

(signature)

(in the capacity of)

Duly authorized to sign Bid for and on behalf of .....

#### **SECTION – VIII**

#### **BID SECURITY FORM**

(Proforma of Bid Security to be submitted in ₹100.00 Non judicial stamp paper)

THE CONDITIONS of this obligation are:

- 1. If the Bidder
  - (a) withdraws its Bid during the period of bid validity specified by the Bidder on the Declaration ; or
  - (b) does not accept the correction of errors in accordance with the ITB; or
- 2. If the Bidder, having been notified of the acceptance of its bid by the Purchaser during the period of bid validity:
  - (a) fails or refuses to execute the Contract Form if required; or
  - (b) fails or refuses to furnish the performance security, in accordance with the Instruction to Bidders;

we undertake to pay the Purchaser up to the above amount upon receipt of its first written demand, without the Purchaser having to substantiate its demand, provided that in its demand the Purchaser will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This guarantee will remain in force up to and including Ninety Days (90) days after the period of the bid validity, and any demand in respect thereof should reach the Bank not later than the above date.

(Signature of the Bank)

1

Name of Bidder

#### SECTION -IX

#### **CONTRACT FORM**

# (Proforma of Agreement to be signed in ₹100.00 Non judicial stamp paper between Uttarakhand Livestock Development Board and the successful bidder)

**WHEREAS** the Purchaser is desirous that certain Goods and ancillary services viz., ......(*Brief Description of Goods and Services*) and has accepted a bid by the Supplier for the supply of those goods.

#### NOW THIS AGREEMENT WITHESSETH AS FOLLOWS:

- 1. In this Agreement words and expressions shall have same meanings as are respectively assigned to them in the Conditions of Contract referred to.
- 2. The following documents shall be deemed to form and be read and construed as part of this Agreement, viz.:
  - (a) the Purchaser's Notification of Award;
  - (b) the Schedule of Requirement;
  - (c) the Technical Specification;
  - (d) the General Conditions of Contract and
  - (e) the Special Conditions of Contract
- 3. In consideration of the payments to be made by the Purchaser to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Purchaser to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
- 4. The Purchaser hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the Contract.

**IN WITNESS** where of the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, Sealed

on behalf of one part	On behalf of other part
2.	2.
in the presence of 1.	1.
For and on behalf of Purchaser (one part)	Supplier (other part)

#### SECTION - X

#### PERFORMANCE SECURITY FORM FOR BANK GUARANTEE

То:	(Name of Purchaser)								
WHEREAS							(Name of S	Supplier)	
hereinafter	called	"the	Supplier"	has	undertaken,	in	pursuance	of	Contract
No		.dated,		)	to supply		-		
					called "the Contra				

**AND WHEREAS** it has been stipulated by you in the said Contract that the Supplier shall furnish you with a Bank Guarantee by a recognized bank for the sum specified therein as security for compliance with the Supplier's performance obligations in accordance with the Contract.

**AND WHEREAS** we have agreed to give the Supplier a Guarantee:

Signature and Seal of Guarantors

.....

.....

Date.....20......

.....

## SECTION XI

#### **PERFORMANCE STATEMENT Proforma for Performance Statement (for a period of last two to three year)**

Bid Reference No.: 1991/ULDB/PROC./Vol.XVI ETT-III/2020-21

Dated: 20<sup>th</sup> October 2020 Date of opening of Technical Bid ...... Time of Opening ......

Name of the Firm .....

Order placed by (full address of Purchaser)	Order No. and date	Description and quantity of order	Value of order	Date of comple As per contract	tion of delivery Actual	Remarks indicating reasons for late delivery, if any	Has the equipment/ Services been satisfactorily functioning? (Attach a certificate from the Purchaser/Consignee)

Signature and seal of the Bidder

#### SECTION - XII

#### MANUFACTURERS' AUTHORIZATION FORM

Letter No	
-----------	--

dated .....

То

•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	
•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	

Dear Sir:

Bid Reference No.: 1991/ULDB/PROC./Vol.XVI ETT-III/2020-	21	Date	ed: 20 <sup>th</sup> Octob	er 2020	D
We	who	are	established	and	reputable
manufacturers/ producers of	(name	and	description of	f good	s offered)
having factories at		•••••			
(address of factory) do hereby authorize M/s					
(Name and address of Agent) to submit a bid, and sign the contract with you	for the	good	s manufactured	d/ produ	iced by us
against the above IFB.					

No company or firm or individual other than M/s. ..... are authorized to bid, and conclude the contract for the above goods manufactured/ produced by us, against this specific IFB.

We hereby extend our full guarantee and warranty as Clause 15 of the General Conditions of Contract and Clause 10 of the Special Conditions of Contract for the goods and services offered for supply by the above firm against this IFB.

Yours faithfully,

(Signature) (Name of manufacturers)

Note: This letter of authority should be on the letterhead of the manufacturer and should be signed by a person competent and having the power of attorney to legally bind the manufacture. It should be included by the Bidder in its bid.

#### SECTION XIII

#### PROFORMA FOR EQUIPMENT AND QUALITY CONTROL EMPLOYED BY THE MANUFACTURER/ PRODUCER

#### Bid Reference No.: 1991/ULDB/PROC./Vol.XVI ETT-III/2020-21 Dated: October 2020

Date of Opening.....

Name of Bidder:

(Note: All details should relate to the manufacturer for the items offered for supply)

- 1. Name & full address of the manufacturer
- 2. (a) Telephone & Fax No
  - (b) Telex No.

(c)

Telegraphic address:

Office/Factory/Works Office/Factory/Works

- 3. Location of the manufacturing/ production factory
- 4. Details of Industrial License, wherever required as per statutory regulations.
- 5. Details of important Plant & Machinery functioning in each dept. (Monographs & description pamphlets be supplied if available).
- 6. Details of the process of manufacture in the factory.
- 7. Details & stocks of raw materials held.
- 8. Production capacity of item(s) quoted for, with the existing Plant & Machinery
  - 8.1 Normal
  - 8.2 Maximum
- 9. Details of arrangement for quality control of products such as laboratory, testing equipment etc.
- 10. Details of staff
  - 10.1 Details of technical supervisory staff in charge of production & quality control.
  - 10.2 Skilled labour employed
  - 10.3 Unskilled labour employed
  - 10.4 Maximum No. of workers (skilled & unskilled ) employed on any day during the 18 months preceding the date of Tender.
- 11. Whether goods are tested to any standard specification? If so, copies of original test certificates should be submitted in triplicate.
- 12. Are you registered with the Directorate General of Supplies and Disposals, New Delhi, India? If so, furnish full particulars of registration, period of currency etc. with a copy of the certificate of registration.

(Signature) (Name of manufacturers/ producer)

# SECTION XIV

# CHECKLIST FOR TECHNICAL BID SUBMISSION

S. No.	Particulars	Scanned Copy of Document Attached (Yes/No)
1	Proof of Cost of Bid Document	
2	Proof of Bid Security	
3	Proof of Declaration	
4	Bidder's Profile along with proof of certification having details of registration; PAN No; GSTIN No. etc.	
5	Latest GST Return Filing Statement	
6	Summary of Latest Audited Balance Sheet	
7	Documentary proof of BIS &/or ISO certification or any other relevant document	
8	Technical Details of the items conforming to the bid along with Catalogues/ Brochures etc.	
9	Experience of the bidder conforming to the qualification criteria as specified in Section VI A of bid document & other relevant documents establishing bidders eligibility & qualification	